

# Local Public Agency Formal Contract Proposal

	PROPOSAL SUBMITTED BY
	Contractor's Name
	Street P.O. Box
4	CV State Zip Code
STATE OF	
STATE OF	ILLINOIS
COUNTY OF MCHENRY BURTON TOWNSHIP	<u> </u>
(Name of City, Village,	Town on gad District)
FOR THE IMPO	
FOR THE IMPROVED BOLLTE NO. WARN	
STREET NAME OR ROUTE NO. VARIO SECTION NO. 1-0300	00-01-GM
TYPES OF FUNDS MIX &	
SPECIFICATIONS (required)     □ PLANS (equired)	
For Municipal	Department of Transportation
Submitted/Approved/Nassed	Released for bid based on limited review
☐ Mayor ☐ President of Board of Trustees ☐ Municipal Official	Regional Engineer
Date	Date 02.24.14
For County and Road District Projects	
Submitted/Approved	
Highway Commissioner	
2/11/11/	
Date	
Submitted/Approved	
County Engineer/Superintendent of Highways	
Date	

**Note**: All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed.

#### RETURN WITH BID

## NOTICE TO BIDDERS

Address

		County	МсНе	nry	
NOTICE TO BIDDERS	•		Burton Township		
NOTICE TO BIDDERS			14-03000-01-GM		
		Route	Variou	18	
Sealed proposals for the improvement described below will be rece	eived at the of	fice of McH	enry Co	unty DOT,	
16111 Nelson Road, Woodstock, IL 60098	until	9:00 AM	on	March 21, 2014	
Address		Time		Date	
Sealed proposals will be opened and read publicly at the office of	McHenry Co	ounty OT	l		
16111 Nelson Road, Woodstock, IL 60098	at	9 20 A 4	on	March 21, 2014	

Date

DESCRIPTION OF WOR

Name	Burton Townshi	Resurfacing				Length: _	4930.00	feet	( _	0.93	miles)
Location	Willow Street,	Maple Avenue, B	laine Place, Linden Ro	oad 🔨							
Proposed	d Improvement	Construction of a	a 1-1/2" HMA Surface	our. I	0,5,	N50 along w	vith necessary	y and r	elate	d	
work.											
***************************************											

1. Plans and proposal forms will be available in the office of 16111 Nelse

Merienry County Division of Transportation

Road, Woodstock, IL 60098

Address

□ Prequalification

in 24 hours after the letting an "Affidavit of Availability" (Form BC 57), in If checked, the 2 low bidders must file duplicate, showing all uncompleted contract, awarded to them and all low bids pending award for Federal, State, County, Municipal and private work. One original shall be filed with the Awarding Authority and one original with the IDOT District Office.

- The Awarding Authority reser as the aht to waive technicalities and to reject any or all proposals as provided in BLRS Special Provision for Bidding Requirements and Conditions for Contract Proposals.
- The following BLR Forms shall be returned by the bidder to the Awarding Authority:
  - a. BLR 12200: Local Public Agency Formal Contract Proposal
  - b. BLR 12200a Schedule of Prices
  - c. BLR 12230: Proposal Bid Bond (if applicable)
  - BLR 12325: Apprenticeship or Training Program Certification (do not use for federally funded projects)
  - BLR 12326: Affidavit of Illinois Business Office
- The quantities appearing in the bid schedule are approximate and are prepared for the comparison of bids. Payment to the Contractor will be made only for the actual quantities of work performed and accepted or materials furnished according to the contract. The scheduled quantities of work to be done and materials to be furnished may be increased, decreased or omitted as hereinafter provided.
- Submission of a bid shall be conclusive assurance and warranty the bidder has examined the plans and understands all requirements for the performance of work. The bidder will be responsible for all errors in the proposal resulting from failure or neglect to conduct an in depth examination. The Awarding Authority will, in no case be responsible for any costs, expenses, losses or changes in anticipated profits resulting from such failure or neglect of the bidder.
- The bidder shall take no advantage of any error or omission in the proposal and advertised contract.
- If a special envelope is supplied by the Awarding Authority, each proposal should be submitted in that envelope furnished by the Awarding Agency and the blank spaces on the envelope shall be filled in correctly to clearly indicate its contents. When an envelope other than the special one furnished by the Awarding Authority is used, it shall be marked to clearly indicate its contents. When sent by mail, the sealed proposal shall be addressed to the Awarding Authority at the address and in care of the official in whose office the bids are to be received. All proposals shall be filed prior to the time and at the place specified in the Notice to Bidders. Proposals received after the time specified will be returned to the bidder unopened.
- Permission will be given to a bidder to withdraw a proposal if the bidder makes the request in writing or in person before the time for opening proposals.

#### **RETURN WITH BID**

## **PROPOSAL**

County McHenry

Local Public Agency Burton Township

Section Number 14-03000-01-GM

Route Various

1.	Proposal of
	for the improvement of the above section by the construction of Construction of a 1-1/2" HMA Surface Course IL 9.5, N50 along with necessary and related work.
	a total distance of 4930.00 feet, of which a distance of 4930.00 feet (0.930 miles) are to be improved.
2.	The plans for the proposed work are those prepared by McHenry County Diction of Transportation
	and approved by the Department of Transportation on
3.	The specifications referred to herein are those prepared by the De, artment of Transportation and designated as "Standard Specifications for Road and Bridge Construction" and the Supplemental Specifications and Recurring Special Provisions" thereto, adopted and in effect on the date of Invitation for bids.
4.	The undersigned agrees to accept, as part of the contract, the applicable Special Provisions indicated on the "Check Sheet for Recurring Special Provisions" contained at this proposal.
5.	The undersigned agrees to complete the work within working days or by unless additional time is granted in accordance with the specifications.
6.	A proposal guaranty in the proper amount as specified in BLRS Special Provision for Bidding Requirements and Conditions for Contract Proposals, will be required. Bid Bonds will be allowed as a proposal guaranty. Accompanying this proposal is either a bid bond if allowed, on Department form BLR 12230 or a proposal guaranty check, complying with the specifications, made payable to:
	William LeFew Preasurer of McHenry County
	The amount of the check is 5% bid Bond ( ).
7.	In the event that one proposal guaranty check is intended to cover two or more proposals, the amount must be equal to the sum of the proposal guaranties, which would be required for each individual proposal. If the proposal guaranty check is placed in another proposal, it will be found in the proposal for: Section Number
8.	The successful bidder at the time of execution of the contract will be required to deposit a contract bond for the full amount of the award. When a contract bond is not required, the proposal guaranty check will be held in lieu thereof. If this proposal is accepted and the undersigned fails to execute a contract and contract bond as required, it is hereby agreed that the Bid Bond or check shall be forfeited to the Awarding Authority.
9.	Each pay item should have a unit price and a total price. If no total price is shown or if there is a discrepancy between the

10. A bid will be declared unacceptable if neither a unit price nor a total price is shown.

be divided by the quantity in order to establish a unit price.

11. The undersigned submits herewith the schedule of prices on BLR 12200a covering the work to be performed under this contract.

product of the unit price multiplied by the quantity, the unit price shall govern. If a unit price is omitted, the total price will

12. The undersigned further agrees that if awarded the contract for the sections contained in the combinations on BLR 12200a, the work shall be in accordance with the requirements of each individual proposal for the multiple bid specified in the Schedule for Multiple Bids below.



## **SCHEDULE OF PRICES**

County McH	lenrv	
------------	-------	--

Local Public Agency Burton Township

Section 14-03000-01-GM

ute Various

Schedule for Multiple Bid

	Concadio for intality of Bile	
Combination Letter	Sections Included in Co. pinations	Total

# Scredule for Single Bid

(For complete information covering these items, see plans and specifications)

Bidder's Roposal for making Entire Improvements

Item No.	Items	Init	Quantity	Unit Price	Total
	HMA SC IL 9.5 N50	TOM	650		
2	BIT MATL PR CT	GAL	619		
3	AGG PR CT	TON	23		
4	HMA SURF REM BUTT JT	SQ YD	463		

#### **RETURN WITH BID**

### **CONTRACTOR CERTIFICATIONS**

County	McHenry	
Local Public Agency	Burton Township	
Section Number	14-03000-01-GM	
Route	Various	

The certifications hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder.

- 1. **Debt Deliquency.** The bidder or contractor or subcontractor, respectively, certifies that it is not delinquent in the payment of any tax administered by the Department of Revenue unless the individual or other chury is contesting, in accordance with the procedures established by the appropriate revenue Act, its liability for the tax or the an ount of tax. Making a false statement voids the contract and allows the Department to recover all amounts paid to the individual or entity under the contract in a civil action.
- 2. **Bid-Rigging or Bid Rotating.** The bidder or contractor or subcontractor, respectively, certifies that it is not barred from contracting with the Department by reason of a violation of either 720 ILCS 337-3 or 720 ILCS 5/33E-4.

A violation of Section 33E-3 would be represented by a conviction e crime of bid-rigging which, in addition to Class 3 felony sentencing, provides that any person convicted of this of w similar offense of any state or the United States which contains the same elements as this offense shall be x 5 years from the date of conviction from contracting with any unit of State or local government. No corporation e barred from contracting with any unit of State or local shall government as a result of a conviction under this Section **I**f anv e nployee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to co and that entity finds that the commission of the offense was neither director, officer or a high managerial agent in behalf of the authorized, requested, commanded, nor performed by corporation.

A violation of Section 33E-4 would be represented by a conviction of the crime of bid-rotating which, in addition to Class 2 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this of ense shall be permanently barred from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation of the corporation of the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

- 3. **Bribery.** The bidder or contractor or subcontractor, respectively, certifies that it has not been convicted of bribery or attempting to bribe an officer or employee of the State of Illinois or any unit of local government, nor has the firm made an admission of guilt of such conduct which is a matter of record, nor has an official, agent, or employee of the firm committed bribery or attempted bribery on behalf of the firm and pursuant to the direction or authorization of a responsible official of the firm.
- 4. **Interim Suspension or Suspension.** The bidder or contractor or subcontractor, respectively, certifies that it is not currently under a suspension as defined in Subpart I of Title 44 Subtitle A Chapter III Part 6 of the Illinois Administrative Code. Furthermore, if suspended prior to completion of this work, the contract or contracts executed for the completion of this work may be cancelled.

# **RETURN WITH BID**

	County	McHenry
SIGNATURES	Local Public Agency	Burton Township
GIGNATORES	Section Number	14-03000-01-GM
	Route	Various
(If an individual)		
Signature of Bidder		
Business Address	( )	·
(If a partnership) Firm Name		
Filli Name		
Signed By		
Business Address		
	0.00.000	
Inset Names and Addressed of All P rtners		
(If a corporation)		
Corporate Name	0	
Signed By	P	resident
Business Address		
		1 11 11 11 11 11 11 11 11 11 11 11 11 1
President		
Insert Names of Officers Secretary  Treasurer		
Secretary		
Treasurer		
_		
Attest:		
Attest: Secretary		



# Local Agency Proposal Bid Bond

			Route	Various
			County	McHenry
	RETURN WI	TH BID	Local Agency	Burton Township
			Section	14-03000-01-GM
	PAP	ER BID BOND -	* . · · · · · · · · · · · · · · · · · ·	
WE				as PRINCIPAL,
and				as SURETY.
	documents in effect on the da	te of invitation for bids	which is the less of su	sum of 5% of the total bid price, or for m. We bind ourselves, our heirs,
WHEREAS THE CONDITION OF through its awarding authority for the				uitting a written proposal to the LA acting
shall within fifteen (15) days after aw of the required insurance coverage, Specifications, then this obligation sl	rard enter into a formal contrac all as provided in the "Standard nall become void; otherwise it s	t, furnish surety survaind Specification for Social Shall region in fur force	nteeing the faithful perform ad and Bridge Constructio and effect.	
with all court costs, all attorney fees,	cting through its awarding auth and any other expense of rec	ity shall it diately ver.	be entitled to recover the	full penal sum set out above, together
IN TESTIMONY WHEREOF, the respective officers this	said PRINCIPAL and the said a	SULETY have caused	this instrument to be sign	ed by their
		Principal		
(Company	Name)		(Com	pany Name)
By:		Ву:		
(Signate	eliTitle)		(Signat	ure and Title)
(If PRINCIPLE is a joint venture o		company names, and		
•		Surety	-	
		By:		
(Name of S	Surety)		(Signature o	f Attorney-in-Fact)
STATE OF ILLINOIS,				
COUNTY OF				
	, a	Notary Public in and	d for said county,	
do hereby certify that			The Late of DD MODAL A C	UDETO
who are each personally known to m SURETY, appeared before me this d voluntary act for the uses and purpos	e to be the same persons who lay in person and acknowledge	se names are subscrib	on behalf of PRINCIPAL & Sped to the foregoing instruity signed and delivered sa	ment on behalf of PRINCIPAL and
Given under m	ny hand and notarial seal th	is d	ay of	
My commission expires			(Notary P	Public\
	FIFC	TRONIC BID BON		dollo)
Electronic bid bond is allow The Principal may submit an ele an electronic bid bond ID code a the Principal and Surety are firm venture of two or more contractor contractor in the venture.)	wed (box must be checke ctronic bid bond, in lieu of c nd signing below, the Princ ly bound unto the LA under	d by LA if electron ompleting the above ipal is ensuring the i the conditions of the	ic bid bond is allowed e section of the Proposi identified electronic bid e bid bond as shown al	al Bid Bond Form. By providing bond has been executed and bove. (If PRINCIPAL is a joint
Electronic Bid Bond ID Code		(Co	ompany/Bidder Name)	
		•	•	
			Signature and Title)	Date



# Apprenticeship or Training Program Certification

		Route	Various
	Return with Bid	County	McHenry
		Local Agency	Burton Township
		Section	2 4-0300 -01-GM
All c	ontractors are required to complete	the following certificat	
⊠ Fo	r this contract proposal or for all groups in t	his deliver and imtall prop	al.
☐ Fo	r the following deliver and install groups in	his material procesar.	
Illinois	s Department of Transportation pency, adop	oted in accordance with the	provisions of the Illinois Highway Code,
requir	res this contract to be awarded to the lowes	t responsive and responsib	le bidder. The award decision is subject to
appro	oval by the Department. In a dition o all of	ner responsibility factors, th	is contract or deliver and install proposal
requir	res all bidders and all bidders subcollifactor	rs to disclose participation l	in apprenticeship or training programs that are s Bureau of Apprenticeship and Training, and
(1) ap $(2)$ an	oplicable to the work of the a ove indicated	proposals or groups. Then	efore, all bidders are required to complete the
	ring certification:	proposals of groups. The	ororo, an araboro are required to complete and
I.			certifies that it is a participant, either as an
			ship or training program applicable to each type
	of work or craft that the bidder will perfor	m with its own employees.	
II.	The undersigned bidder further certifies	for work to be performed by	subcontract that each of its subcontractors
11.			ating in an approved, applicable apprenticeship
			nce of work pursuant to this contract, establish
	participation in an approved apprentices	nip or training program app	licable to the work of the subcontract.
III.	The undersigned hidder, by inclusion in t	he list in the snace helow (	certifies the official name of each program
111.	sponsor holding the Certificate of Regist		
	participant and that will be performed wit		
			e list shall also indicate any type of work or
	craft job category for which there is no a	oplicable apprenticeship or	training program available.

IV.	except for any work identified above, any bidder or subcontractor that shall contract or deliver and install proposal solely by individual owners, partners whom the payment of prevailing rates of wages would be required, check the contract of the contrac	or members and not by employees to
	owner/operator workforce and positions of ownership.	
certific and sh listed. Certific and ar applica	e requirements of this certification and disclosure are a material part of the contra- tification provision to be included in all approved subcontracts. The bidder area of shall make certain that each type of work or craft job category that will be utilized. The Department at any time before or after award may require a corocic ction rtificate of Registration issued by the United States Department of Labor endenced any or all of its subcontractors. In order to fulfill the participant in requirement, it blicable program sponsor be currently taking or that it wills the applications for ap- ring the performance of the work of this contract or deliver and install proposal.	Insible for making a complete report of on the project is accounted for and on of a copy of each applicable ing such participation by the contractor shall not be necessary that any
Bidder	lder: By:	
Addre	dress: Title:	(Signature)
	<b>*</b>	



# Substance Abuse Prevention Program Certification

	County:	McHenry
	Local Agency:	Burton Toy iship
	Section:	14-03630-0 GM
<ul><li>as mandated by the Act.</li><li>A. The undersigned representative of the Contract</li></ul>	and by employees of ubcontractor hereals its written substance of covered by a case tor/Subcontractor ce	of all a project Subcontractors while performing certifies that it has a superseding collective abuse prevention program for the prevention of ctive bargaining agreement dealing with the subject
Contractor/Subcontil ctor	<b>\</b>	
Name of Authorized Re, resentative (typ	e or print)	
Title of Authorized Representative (type	e or print)	
Signature of Authorized Representa	ative	Date
B. The undersigned representative of the Contract of its employees not covered by a collective ba substance abuse prevention program that mee	rgaining agreement t	that deals with the subject of the Act, the attached
Contractor/Subcontractor		<u> </u>
Name of Authorized Representative (type	e or print)	
Title of Authorized Representative (type	or print)	
Signature of Authorized Representa	ative	Date

Route:

Various



Affidavit of Availability For the Letting of 3/21/2014

Bureau of Construction 2300 South Dirksen Parkway/Room 322 Springfield, Illinois 62764

Instructions: Complete this form by either typing or using black ink. "Authorization to Bid" will not be issued unless both sides of this form are completed in detail. Use additional forms as needed to list all work.

#### Part I. Work Under Contract

List below all work you have under contract as either a prime contractor or a subcontractor. It is required to include all pending low bids not yet awarded or rejected. In a joint venture, list only that portion of the work which is the responsibility of your company. The uncompleted dollar value is to be based upon the most recent engineer's or owners estimate, and must include work subcontracted to others. If no work is acted, show NONE.

	1	2	3		4	Awards Pending	
County and Section Number					V		
Contract With			<b>(</b>	<b>7</b>			
Estimated Completion Date							
Total Contract Price			1				Accumulated Totals
Uncompleted Dollar Value if Firm is the Prime Contractor			X				
Uncompleted Dollar Value if Firm is the Subcontractor							
					Total Val	ue of All Work	

#### Part II. Awards Pending and Uncompleted Work to be done with your own forces.

List below the uncompleted dollar value of work for as a contract as subcontracted to others will be listed on the reverse of this for a. In a join company. If no work is contracted, show NONE.	nd awards pending to be completed nt venture, list only that portion of the	with your own forces. All work work to be done by your	Accumulated Totals
Earthwork			
Portland Cement Concrete Paving			
Bituminous Plant Mix			
Bituminous Aggregate Mixture			
Miscellaneous Bituminous Paving			
Clean & Seal Cracks/Joints			
Aggregate Bases & Surfaces			
Highway, R.R. and Waterway Structures			
Drainage			
Electrical			
Cover and Seal Coats			
Miscellaneous Concrete Construction			
Landscaping			
Fencing			
Guardrail			
Painting			
Signing			
Fabrication			
Building Construction			
Other Construction (List)			
Totals			

Disclosure of this information is **REQUIRED** to accomplish the statutory purpose as outlined in the "Illinois Procurement Code." Failure to comply will result in non-issuance of an "Authorization To Bid." This form has been approved by the State Forms Management Center.

## Part III. Work Subcontracted to Others.

For each contract described in Part I, list all the work you have subcontracted to others.

			T T		
	11	2	3	44	Awards Pending
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted					
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted					
Subcontractor					
Type of Work					
Subcontract Price		7.0			
Amount Uncompleted		Y			
Subcontractor					
Type of Work		•		<u> </u>	
Subcontract Price					
Amount Uncompleted					
Subcontractor					
Type of Work					
Subcontract Price					
Amount Uncompleted					
Total Uncompleted					

I, being duly sworn, do hereby declare that this affidavit is a true and correct statement relating to ALL uncompleted contracts of the undersigned for Federal, State, County, City and private work, including ALL subcontract work, ALL pending low bids not yet awarded or rejected and ALL estimated completion dates.

Subscribed and sworn to before me			
this day of	Type or Print Name		
		Officer or Director	Title
	Signed		
Notary Public			<u> </u>
My commission expires	<u>.</u>		
	Company		
(Notary Seal)			
	Address		

# NOTICE TO CONTRACTORS REGARDING FINAL PAYMENT

This improvement is being funded by:

MFT Funds = \$40,000 Burton Township Road District Funds = Balance of Final Construction Costs

# NOTICE TO CONTRACTOR'S REGARDING STRICT COMPLIANCE WITH COMPLETION DATE

This contract is a completion date contract with an August 29, 2014 completion deadline in accordance to Article 108 of the Standard Specifications. This deadline will be strictly enforced and shall include all pay items, specifically all bituminous work, shoulder construction and removal of temporary traffic marking upe, where applicable.

# NOTICE TO CONTRACTORS REGARDING WAIVERS


End of contract final waivers from all sub-contractors and material suppliers that perform work or provide materials under this contract must be submitted before final payment shall be made.

# **DESCRIPTION OF WORK**

The location for this section is in Burton Township, McHenry County, Illinois on various roads with an improvement length of 4,930 feet.

The work consists of the construction of a 1.5" lift of Hot Mix Asphalt Sarface Course, IL 9.5, N50 along with necessary and related work as detailed in the Special Provisions and the Estimate of Quantities.





PROJECTION

County Route State/US Route Interstate Route

Hydrography

875 1,750 3,500 Municipal/Township Route

SCALE 1 inch = 3,500 feet

**BURTON TOWNSHIP** 



# PROJECT SUMMARY

McHenry County - Burton Township Road District Section 14-03000-01-GM

Project	Begin Point	End Point	Length (ft)	Average Width (ft)	Improvements
Location A Willow Street	Murial Road	North Limit	660	13.1	Hot-Mix Asphalt Surface Course, IL 9.5, N50, 1-1/2"
Location B Maple Drive	Muhar Koa	North Limit	750	14.5	Hot-Mix Asphalt Surface Course, IL 9.5, N50, 1-1/2"
Location C Blaine Place	Muriel Road	North Limit	820	14	Hot-Mix Asphalt Surface Course, IL 9.5, N50, 1-1/2"
Linden Road	West Limit	Alim	2700	12.1	Hot-Mix Asphalt Surface Course, IL 9.5, N50, 1-1/2"
William to the second of the s					

# **ESTIMATE OF QUANTITIES**

McHenry County - Burton Township Road District - Section 14-03000-01-GM

Project	Length (FT)	Average Width (FT)	Area (SY)	Bit. Mat. (Prime)	Agg. (Prim.) (TOAS)	1-1/2" Hot-Mix Asphalt Surface (TUNS)	Hot-Mix Surface Rem Butt Joint (SY)
Location A			•	<u> </u>	11		
Willow Street	660	13.1	1,035	83	3	87	56
Location B Maple Avenue	750	14.5	1,511	121	<b>Q</b> <sub>5</sub>	127	170
Location C							
Blaine Place	820	14.0		117	4	123	164
Location D							
Linden Road	2,700	17.1	3,700	299	11	314	73
Total	4,930	X	7,741	619	23	650	463

Bituminous Materials (Prime Soat) was calculated on the basis of 0.08 gallons per square yard. Aggregate (Prime Coat) was calculated on the basis of three (3) pounds per square yard. Hot-Mix Asphalt mixtures were calculated on the basis of 112 pounds per inch per square yard.

# ESTIMATE OF QUANTITIES

# McHenry County - Burton Township Road District - Section 14-03000-01-GM Hot-Mix Asphalt Surface Removal - Butt Joint

Location	Dimensions	rea Y)
	Location A - Willow Street	
Muriel Road	(25.0'+18.0')/2 x 15.0'	36
Driveways	2 ea x 30' wide x 3' deep	20
	Location B - Map Orive	
Muriel Road	(56.0'+2'.0')/2 1	70
Driveways	10 ea x 30 wide x deep	100
**************************************	Location C - Blaine Place	
Muriel Road	(61.0'+28.0')/2 x 15'	74
Driveways	9 ea x 30' wide x 3' deep	90
	Location D - Linden Road	
Wilmot Road	(16.0'+12.0')/2 x 15'	23
Drive Tays	5 ea x 30' wide x 3' deep	50
Total		463

# BDE SPECIAL PROVISIONS For the January 17 and March 7, 2014 Lettings

The following special provisions indicated by an "x" are applicable to this contract and will be included by the Project Development and Implementation Section of the BD&E. An \* indicates a new or revised special provision for the letting.

File Name	<u>#</u>		Special Provision Title	Effectiv		Revised
80240	1		Above Grade Inlet Protection	July 1,		Jan. 1, 2012
* 80099			Accessible Pedestrian Signals (APS)	April 1,		Jan. 1, 2014
80274			Aggregate Subgrade Improvement	April 1,		Jan. 1, 2013
80192			Automated Flagger Assistance Device	Jan. 1,		A 4 0040
80173	5		Bituminous Materials Cost Adjustments	Nov. 2,		Aug. 1, 2013
80241	6		Bridge Demolition Debris	July 1,		A == 1 1 2010
50261	7	<u></u>	Building Removal-Case I (Non-Friable and Frights Asbestos)	Sept. 1,		April 1, 2010
50481	8		Building Removal-Case II (Non-Friable Asbustos)	Sept. 1,		April 1, 2010
5049I	9		Building Removal-Case III (Friable Asbestos)	Sept. 1, Sept. 1,		April 1, 2010 April 1, 2010
5053I 80292	10 11		Building Removal-Case IV (No Asbestos) Coarse Aggregate in Bridge Approach Slabs/l potings	April 1,		April 1, 2010 April 1, 2013
80310	12	<b> </b>	Coated Galvanized Steel Conduit	Jan. 1,		April 1, 2013
80198	13	<u> </u>	Completion Date (via calendar lays)	April 1,		
80199	14		Completion Date (via calendar days)  Completion Date (via calendar days) Plus Working Days	April 1,		
80293			Concrete Box Culverts with Skews 30 Degrees and Design Fills ≤ 5	April 1,		
00293	13		Feet	Apili I,	2012	
80294	16		Concrete Box Culverts with Skews ≤ 30 Degrees Regardless of	April 1,	2012	
			Design Fill and Skews 30 Degrees with Design Fills > 5 Feet			
80311	17		Concrete End Sections or Pipe Culverts	Jan. 1,		
FERRENCE CONTRACTOR CO	18		Concrete Mix Davign — Department Provided	Jan. 1,		Jan. 1, 2014
* 80261	19		Construction Ax Quanty - Diesel Retrofit	June 1,	TENNOON OF THE PROPERTY OF THE	Jan. 1, 2014
80029	20	<u></u>	Disadvar ages siness Enterprise Participation	Sept. 1,		Aug. 2, 2011
80265	21	1	Friction Aggregate	Jan. 1,		
80229	22		Fuel Cost Adjustment	April 1,		July 1, 2009
	23		Glare Screen	Jan. 1,		
80303	24	<u> </u>	Granular Materials	Nov. 1,		
80304	25	<u> </u>	Grooving for Recessed Pavement Markings	Nov. 1,		Jan. 1, 2013
80246	26	<b>✓</b>	Hot-Mix Asphalt – Density Testing of Longitudinal Joints	Jan. 1,		April 1, 2012
80322	27	✓	Hot-Mix Asphalt – Mixture Design Composition and Volumetric Requirements	Nov. 1,	2013	
80323	28	✓	Hot-Mix Asphalt – Mixture Design Verification and Production	Nov. 1,	2013	
80315	29		Insertion Lining of Culverts	Jan. 1,		Nov. 1, 2013
80324	30		LRFD Pipe Culvert Burial Tables	Nov. 1,	2013	
80325	31		LRFD Storm Sewer Burial Tables	Nov. 1,	2013	
80045	32		Material Transfer Device	June 15,		Jan. 1, 2009
80165	33		Moisture Cured Urethane Paint System	Nov. 1,		Jan. 1, 2010
* 80330	34		Pavement Marking for Bike Symbol	Jan. 1,	CONTRACTOR STATES	
80298	35		Pavement Marking Tape Type IV	April 1,		
80254	36		Pavement Patching	Jan. 1,		
* 80331	37		Payrolls and Payroll Records	Jan. 1,		
* 80332	38		Portland Cement Concrete – Curing of Abutments and Piers	Jan. 1,	addition and the second second	
80326	39		Portland Cement Concrete Equipment	Nov. 1,		
80300	40		Preformed Plastic Pavement Marking Type D - Inlaid	April 1,		
* 80328	41		Progress Payments	Nov. 2,		
* 80281	42		Quality Control/Quality Assurance of Concrete Mixtures	Jan. 1,		Nov. 1, 2013
34261	43		Railroad Protective Liability Insurance	Dec. 1,		Jan. 1, 2006
80157	44	L	Railroad Protective Liability Insurance (5 and 10)	Jan. 1,	2006	

File Name	#	Special Provision Title	<b>Effective</b>	Revised
80306	45	Reclaimed Asphalt Pavement (RAP) and Reclaimed Asphalt	Nov. 1, 2012	Nov. 1, 2013
		Shingles (RAS)		
80327	46	Reinforcement Bars	Nov. 1, 2013	
80283	47	Removal and Disposal of Regulated Substances	Jan. 1, 2012	Nov. 2, 2012
80319	48	Removal and Disposal of Surplus Materials	Nov. 2, 2012	
80307	49	Seeding	Nov. 1, 2012	
80127	50	Steel Cost Adjustment	April 2, 2004	April 1, 2009
80317	51	Surface Testing of Hot-Mix Asphalt Overlays	Jan. 1, 2013	
80301	52	Tracking the Use of Pesticides	Aug. 1, 2012	
* 80333	53	Traffic Control Setup and Removal Freeway/Expressivay	Jan. 1, 2014	
20338	54	Training Special Provisions	Oct. 15, 1975	
80318	55	Traversable Pipe Grate	Jan. 1, 2013	April 1, 2013
80288	56	Warm Mix Asphalt	Jan. 1, 2012	Nov. 1, 2013
80302	57	Weekly DBE Trucking Reports	June 2, 2012	
80289	58	Wet Reflective Thermoplastic Pavemer and kins	Jan. 1, 2012	
80071	59	Working Days	Jan. 1, 2002	
The following	ng spe	ecial provisions are in the 2014 Supplemental Sportications and Recurri	ng Special Provisions:	
File Name		Special Provision Title New Location	Effective	Revised

File Name	Special Provision Title	New Location	<u>Effective</u>	Revised
80309	Anchor Bolts	Articles 1006.09, 1070.01,	Jan. 1, 2013	
90076	Dridge Delief Jaint Cooler	and 1070.03 Article 503.19 and Sections	lon 1 2012	Aug. 1, 2012
80276	Bridge Relief Joint Sealer	588 and 589	Jan. 1, 2012	Aug. 1, 2012
80312	Drain Pipe, Tile, Drainage (lat, and Wall Drain	Article 101.01, 1040.03, and	Jan. 1, 2013	
		1040.04		
80313	Fabric Bearing Pads	Article 1082.01	Jan. 1, 2013	
80169	High Tension Cable Vieuran arrier	Section 644 and Article 1106.02	Jan. 1, 2007	Jan. 1, 2013
80320	Liquidated Damages	Article 108.09	April 1, 2013	
80297	Modified Urethane Pavement Marking	Section 780, Articles 1095.09	April 1, 2012	
00237	Modified Orethane r avertient Marking	and 1105.04	April 1, 2012	
80253	Movable Traffic Barrier	Section 707 and Article	Jan. 1, 2010	Jan. 1, 2013
		1106.02		
80231	Pavement Marking Removal	Recurring CS #33	April 1, 2009	
80321	Pavement Removal	Article 440.07	April 1, 2013	
80022	Payments to Subcontractors	Article 109.11	June 1, 2000	Jan. 1, 2006
80316	Placing and Consolidating Concrete	Articles 503.06, 503.07, and 516.12	Jan. 1, 2013	
80278	Planting Woody Plants	Section 253 and Article	Jan. 1, 2012	Aug. 1, 2012
		1081.01		
80305	Polyurea Pavement Markings	Article 780.14	Nov. 1, 2012	Jan. 1, 2013
80279	Portland Cement Concrete	Sections 312, 503, 1003,	Jan. 1, 2012	Nov. 1, 2013
		1004, 1019, and 1020		
80218	Preventive Maintenance – Bituminous Surface	Recurring CS #34	Jan. 1, 2009	April 1, 2012
	Treatment	5	1 4 0000	
80219	Preventive Maintenance - Cape Seal	Recurring CS #35	Jan. 1, 2009	April 1, 2012
80220	Preventive Maintenance - Micro-Surfacing	Recurring CS #36	Jan. 1, 2009	April 1, 2012
80221	Preventive Maintenance - Slurry Seal	Recurring CS #37	Jan. 1, 2009	April 1, 2012
80224	Restoring Bridge Approach Pavements Using High- Density Foam	Recurring CS #39	Jan. 1, 2009	Jan. 1, 2012
80255	Stone Matrix Asphalt	Sections 406, 1003, 1004, 1030, and 1011	Jan. 1, 2010	Aug. 1, 2013
80143	Subcontractor Mobilization Payments	Article 109.12	April 2, 2005	April 1, 2011
		· · · · · · · · · · · · · · · · · · ·		

File Name	Special Provision Title	New Location	<b>Effective</b>	Revised
80308	Synthetic Fibers in Concrete Gutter, Curb, Median	Articles 606.02 and 606.11	Nov. 1, 2012	
	and Paved Ditch			
80286	Temporary Erosion and Sediment Control	Articles 280.04 and 280.08	Jan. 1, 2012	
80225	Temporary Raised Pavement Marker	Recurring CS #38	Jan. 1, 2009	
80256	Temporary Water Filled Barrier	Section 708 and Article	Jan. 1, 2010	Jan. 1, 2013
	• •	1106.02		
80273	Traffic Control Deficiency Deduction	Article 105.03	Aug. 1, 2011	
80270	Utility Coordination and Conflicts	Articles 105.07, 77.73	April 1, 2011	Jan. 1, 2012
	·	107.31, 107		
		107,39 ap 107		

The following special provisions require additional information from the designer. The additional information needs to be included in a separate document attached to this check sheet. The Project Development and Implementation section will then include the information in the applicable special provision. The Special Provisions are:

- Bridge Demolition Debris
- Building Removal-Case I
- Building Removal-Case II
- Building Removal-Case III
- Building Removal-Case
- Completion Date
- Completion Date Bus Vorking Pays
- DBE Participation

- Material Transfer Device
- Railroad Protective Liability Insurance
- Training Special Provisions
- Working Days

# FRICTION AGGREGATE (BDE)

Effective: January 1, 2011

Revise Article 1004.01(a)(4) of the Standard Specifications to

- "(4) Crushed Stone. Crushed stone shall be the sigular fragments resulting from crushing undisturbed, consolidated deposits of rock is mechanical means. Crushed stone shall be divided into the following when specified.
  - a. Carbonate Crushed Stone. Carbon to rushed stone shall be either dolomite or limestone. Dolomite shall contain 11. percent or more magnesium oxide (MgO). Limestone shall contain less than 115 percent magnesium oxide (MgO).
  - b. Crystalline Crushed State. Crystalline crushed stone shall be either metamorphic or indeous store, including but is not limited to, quartzite, granite, rhyolite and dial as "

Revise Article 1004.03(a) of the Standard Specifications to read:

"1004.03 Coarse Agree ate for Hot-Mix Asphalt (HMA). The aggregate shall be according to Article 1004.11 and the following.

(a) Description. The coarse aggregate for HMA shall be according to the following table.

Use	Mixture	Aggregates Allowed
Class A	Seal or Cover	Allowed Alone or in Combination:
		Gravel Crushed Gravel Carbonate Crushed Stone Crystalline Crushed Stone Crushed Sandstone Crushed Slag (ACBF) Crushed Steel Slag Crushed Concrete
HMA All Other	Stabilized Subbase or Shoulders	Allowed Alone or in Combination:  Gravel Crushed Gravel Carbonate Crushed Stone Crystalline Crushed Stone Crushed Sandstone Crushed Slag (ACBF) Crushed Steel Slag <sup>1/</sup> Crushed Concrete

Use	Mixture	Aggregates Allowed	
HMA High ESAL Low ESAL	Binder IL-25.0, IL-19.0, or IL-19.0L SMA Binder	Allowed Alone or in C Crushed Gravel Carbonate Crushed Crystalline Crushed Crushed Sandstone Crushed Slag (CBF Crushed Conc. 3	Stope <sup>2/</sup> Stone
HMA High ESAL Low ESAL	C Surface and Leveling Binder IL-12.5,IL-9.5, or IL-9.5L SMA Ndesign 50 Surface	Alloy ed A sne or in C Grus hed Gruvel Carbon de Crushed S C ystalline Crushed S G ushed Sandstone Crushed Slag (ACBF Crushed Steel Slag <sup>4/</sup> Crushed Concrete <sup>3/</sup>	Stone <sup>2/</sup> Stone
HMA High ESAL	D.Surface and Leveling Bis der U. 12. Tor V-9.5 SMA Ndesign 50 Surface	Allowed Alone or in C Crushed Gravel Carbonate Crushed S Limestone) <sup>2/</sup> Crystalline Crushed S Crushed Sandstone Crushed Slag (ACBF Crushed Steel Slag <sup>4/</sup> Crushed Concrete <sup>3/</sup>	Stone (other than Stone
		Other Combinations	Allowed:
		Up to	With
		25% Limestone	Dolomite
		50% Limestone	Any Mixture D aggregate other than Dolomite
		75% Limestone	Crushed Slag (ACBF) <sup>5/</sup> or Crushed Sandstone

Use	Mixture	Aggregates Allowed	
HMA High ESAL	E Surface IL-12.5 or IL-9.5 SMA Ndesign 80 Surface	Allowed Alone or in C Crushed Gravel Crystalline Crusher S Crushed Sandstone Crushed Slag (ACBF) Crushed Steel Slag <sup>5/</sup> Crushed Constant S No timestone.	
		b, to	With
		50% Dolomite <sup>2/</sup>	Any Mixture E aggregate
•	NO.	75% Dolomite <sup>2/</sup>	Crushed Sandstone, Crushed Slag (ACBF) <sup>5/</sup> , Crushed Steel Slag <sup>5/</sup> , or Crystalline Crushed Stone
		75% Crushed Gravel or Crushed Concrete <sup>3/</sup>	Crushed Sandstone, Crystalline Crushed Stone, Crushed Slag (ACBF) <sup>5/</sup> , or Crushed Steel Slag <sup>5/</sup>
HMA	F Surface	Allowed Alone or in C	ombination:
High ESAL	IL-12.5 or IL-9.5 SMA Ndesign 80 Surface	Crystalline Crushed S Crushed Sandstone Crushed Slag (ACBF) Crushed Steel Slag <sup>5/</sup> No Limestone.	
		Other Combinations A	
		Up to	With

Use	Mixture	Aggregates Allowed	Aggregates Allowed		
		50% Crushed Gravel, Crushed Concrete <sup>3/</sup> , or Dolomite <sup>2/</sup>	Crushed Sandstone, Chashed Slug ACET <sup>5</sup> , Crushed See Sag <sup>5</sup> , or Crystalline Crushed Sone		

- 1/ Crushed steel slag allowed in shoulder surface
- MA Ndesign 80. In SMA Ndesign 50, Carbonate crushed stone shall not be used in 2/ carbonate crushed stone shall not be blende with any of the other aggregates allowed alone in Ndesign 50 SMA binder Nd sign 0 SMA surface.
- Crushed concrete will not be pe mitted in SMA mixes. Crushed steel slag shall not be used as leveling binder. 3/
- 4/
- When either slag is used the blend percentages listed shall be by volume."

80265

## HOT-MIX ASPHALT - DENSITY TESTING OF LONGITUDINAL JOINTS (BDE)

Effective: January 1, 2010 Revised: April 1, 2012

<u>Description</u>. This work shall consist of testing the density of Unstaudinal joints as part of the quality control/quality assurance (QC/QA) of hot-mix asphalt (MAY) Work shall be according to Section 1030 of the Standard Specifications except as a blows.

Quality Control/Quality Assurance (QC/QA). Delete the second and third sentence of the third paragraph of Article 1030.05(d)(3) of the Stan ard Spe ifications.

Add the following paragraphs to the end of Artisle 1930.05(d)(3) of the Standard Specifications:

"Longitudinal joint density testing shall be performed at each random density test location. Longitudinal joint testing shall be located at a distance equal to the lift thickness or a minimum of 4 in. (100 mm), from each pavement edge. (i.e. for a 5 in. (125 mm) lift the near edge of the density gauge or core barrel shall be within 5 in. (125 mm) from the lidge of pavement.) Longitudinal joint density testing shall be performed using either a correlated nuclear gauge or cores.

- a. Confined lidge. Each confined edge density shall be represented by a one-minute nuclear density reading or a core density and shall be included in the average of density readings or core densities taken across the mat which represents the Individual Test.
- b. Unconfined Edge. Each unconfined edge joint density shall be represented by an average of three one-minute density readings or a single core density at the given density test location and shall meet the density requirements specified herein. The three one-minute readings shall be spaced ten feet apart longitudinally along the unconfined pavement edge and centered at the random density test location."

Revise the Density Control Limits table in Article 1030.05(d)(4) of the Standard Specifications to read:

"Mixture Composition	Parameter	Individual Test (includes confined edges)	Unconfined Edge Joint Density Minimum
IL-4.75	Ndesign = 50	93.0 - 97.4%	91.0%
IL-9.5, IL-12.5	Ndesign ≥ 90	92.0 - 96.0%	90.0%
IL-9.5,IL-9.5L, IL-12.5	Ndesign < 90	92.5 – 97.4%	90.0%
IL-19.0, IL-25.0	Ndesign ≥ 90	93.0 - 96.0%	90.0%
IL-19.0, IL-19.0L, IL-25.0	Ndesign < 90	93.0 – 97.4%	90.0%

SMA	Ndesign = 50 & 80	93.5 - 97.4%	91.0%
All Other	Ndesign = 30	93.0 - 97.4%	90.0%"

# HOT-MIX ASPHALT - MIXTURE DESIGN COMPOSITION AND VOLUMETRIC REQUIREMENTS (BDE)

Effective: November 1, 2013

Revise Article 406.14(b) of the Standard Specifications to read,

"(b) If the HMA placed during the initial test strip (1) is determined to be unacceptable to remain in place by the Engineer, and (2) was no produced within 2.0 to 6.0 percent air voids or within the individual control limits of the Jivin, the mixture and test strip will not be paid for and the mixture shall be removed at the Contractor's expense. An additional test strip and mixture will be paid for in full, if produced within 2.0 to 6.0 percent air voids and within the individual control limits of the MF."

Revise Article 406.14(c) of the Standard pecifications to read.

"(c) If the HMA placed during the initial test strip (1) is determined to be unacceptable to remain in place by the Engineer, and (2) was produced within 2.0 to 6.0 percent air voids and within the individual control limits of the JMF, the mixture shall be removed. Removal will be paid in accordance to Article 109.04. This initial mixture and test strip will be paid for at the contract unit price. The additional mixture will be paid for at the contract unit price, and any additional test strips will be paid for at one half the unit price of each test trip."

Revise Article 1030.04(a)(1) of the Standard Specifications to read.

"(1) High ESAL Mixtures. The Job Mix Formula (JMF) shall fall within the following limits.

High ESAL, MIXTURE COMPOSITION (% PASSING) 1/										
Sieve		.0 mm		.0 mm		.5 mm		5 mm	IL-4.7	75 mm
Size	min	max	min	max	min	max	min	max	min	max
1 1/2 in (37.5 mm)		100								
1 in. (25 mm)	90	100		100						
3/4 in. (19 mm)		90	82	100		100				
1/2 in. (12.5 mm)	45	75	50	85	90	100		100		100
3/8 in. (9.5 mm)						89	90	100		100
#4 (4.75 mm)	24	42 <sup>2/</sup>	24	50 <sup>2/</sup>	28	65	32	69	90	100
#8 (2.36 mm)	16	31	20	36	28	48 <sup>3/</sup>	32	52 <sup>3/</sup>	70	90
#16 (1.18 mm)	10	22	10	25	10	32	10	32	50	65
#50 (300 µm)	4	12	4	12	4	15	4	15	15	30
#100 (150 µm)	3	9	3	9	3	10	3	10	10	18
#200 (75 µm)	3	6	3	6	4	6	4	6	7	9

Ratio Dust/Asphalt Binder	1.0	1.0	1.0	1.0	
---------------------------------	-----	-----	-----	-----	--

- 1/ Based on percent of total aggregate weight.
- 2/ The mixture composition shall not exceed 4 pacent passing the #4 (4.75 mm) sieve for binder courses with Ndesign ≥ 90.
- 3/ The mixture composition shall not exceed 44 percent passing the #8 (2.36 mm) sieve for surface courses with Ndesign \$ 90.
- 4/ Additional minus No. 200 (0.075 mm) material required by the mix design shall be mineral filler, unless conervis approved by the Engineer."

Delete Article 1030.04(a)(4) of the Standard Specifications.

Revise Article 1030.04(b)(1) of the Standard Specifications to read.

"(1) High ESAL lixtures. The target value for the air voids of the HMA shall be 4.0 percent at the design number of gyrations. The VMA and VFA of the HMA design shall be based on the nominal maximum size of the aggregate in the mix, and shall contain the following requirements.

VOLUMETRIC REQUIREMENTS High ESAL						
	Voids in the Mineral Aggregate  (VMA),  with Aspending Binds					
Ndesign	IL-25.0 IL-19.0 IL-12.5 IL-9.5 IL-4.75 <sup>1</sup> / (VFA)					
50		65 – 78 <sup>2/</sup>				
70 90 105	12.0 13.0 14.0 15.0					65 - 75

- 1/ Maximum Draindown for IL-4.75 shall be 0.3 percent
- 2/ VFA for IL-4.75 shall be 76-83 percent"

Delete Article 1030.04(b)(4) of the Standard Specifications.

Revise the Control Limits Table in Article 1030.05(d)(4) of the Standard Specifications to read.

"CONTROL LIMITS

Parameter	High ESAL	High ESAL	All Other	<u>JL-4.75</u>	IL-4.75
	Low ESAL	Low ESAL			·
	Individual	Moving Avg.	Individual	in livic dal	Moving
	Test	of 4	Te	Test	Avg. of 4
% Passing: 1/				•	
1/2 in. (12.5 mm)	±6%	± 4 %	± 15 %		
No. 4 (4.75 mm)	± 5 %	± 4 %	± 10 %		
No. 8 (2.36 mm)	± 5 %	± 3 %			
No. 16 (1.18 mm)				±4%	±3%
No. 30 (600 µm)	± 4 %	± 2.5 %	•		
Total Dust Content No. 200 (75 µm)	± 1.5 %	± 10 %	± 2.5 %	± 1.5 %	± 1.0 %
Asphalt Binder Content	± 0.3 %	± 0.2 %	± 0.5 %	± 0.3 %	± 0.2 %
Voids	± 1.2 %	1.0 %	± 1.2 %	± 1.2 %	± 1.0 %
VMA	0.7 % <sup>21</sup>	-0.5 % <sup>2/</sup>		-0.7 % <sup>2/</sup>	-0.5 % <sup>2/</sup>

<sup>1/</sup> Based on washed ignition oven

80322

<sup>2/</sup> Allowable limit belowm. in.um design VMA requirement"

## HOT-MIX ASPAHLT - MIXTURE DESIGN VERIFICATION AND PRODUCTION (BDE)

Effective: November 1, 2013

<u>Description</u>. This special provision provides the requirements or hamburg Wheel and tensile strength testing for High ESAL, IL-4.75, and Stone Matrix Alphak (SMA) hot-mix asphalt (HMA) mixes during mix design verification and production. This special provision also provides the plant requirements for hydrated lime addition systems used in the production of High ESAL, IL-4.75, and SMA mixes.

Mix Design Testing. Add the following to Article 10.0.1 of the Standard Specifications:

"(d) Verification Testing. High ESAL 2-4.15 are SMA mix designs submitted for verification will be tested to ensure that the resulting mix designs will pass the required criteria for the Hamburg Wheel Test (Illinois Modified AASHTO T 324) and the Tensile Strength Test (Illinois Modified AASHTO T 233). The Department will perform a verification test on gyratory specimens compacted by the Contractor. If the mix fails the Department's verification test, the Contractor shall make necessary changes to the mix and provide passing Hamburg Wheel and tensile strength test results from a private lab. The Department will verify the passing results.

All new and rene val mix designs shall meet the following requirements for verification testing.

(1) Hamburg Wheel Test Criteria. The maximum allowable rut depth shall be 0.5 in. (12.5 mm). The minimum number of wheel passes at the 0.5 in. (12.5 mm) rut depth criteria shall be based on the high temperature binder grade of the mix as specified in the mix requirements table of the plans.

PG Grade	Number of Passes
PG 58-xx (or lower)	5,000
PG 64-xx	7,500
PG 70-xx	15,000
PG 76-xx (or higher)	20,000

- 1/ When produced at temperatures of  $275 \pm 5$  °F ( $135 \pm 3$  °C) or less, loose Warm Mix Asphalt shall be oven aged at  $270 \pm 5$  °F ( $132 \pm 3$  °C) for two hours prior to gyratory compaction of Hamburg Wheel specimens.
- (2) Tensile Strength Criteria. The minimum allowable conditioned tensile strength shall be 415 kPa (60 psi) for non-polymer modified performance graded (PG) asphalt binder and 550 kPa (80 psi) for polymer modified PG asphalt binder. The maximum allowable unconditioned tensile strength shall be 1380 kPa (200 psi)."

Production Testing. Revise Article 1030.06(a) of the Standard Specifications to read:

"(a) High ESAL, IL-4.75 and SMA Mixtures. For each contract, a 300 t in (275 metric tons) test strip will be required at the beginning of HMA production for each mixture with a quantity of 3000 tons (2750 metric tons) or more according to the Manual of Test Procedures for Materials "Hot Mix Asphalt Test Strip Procedures".

Before start-up, target values shall be determined by applying gradation correction factors to the JMF when applicable. These correction factors shall be determined from previous experience. The target values, which approved by the Engineer, shall be used to control HMA production. Plant settings and control charts shall be set according to target values.

Before constructing the test strip target values shall be determined by applying gradation correction factors to the IMF when applicable. After any JMF adjustment, the JMF shall become the A justed Jos Mix Formula (AJMF). Upon completion of the first acceptable test strip, the IMF shall become the AJMF regardless of whether or not the JMF has been adjusted. In an adjustment/plant change is made, the Engineer may require a new test strip to be constructed. If the HMA placed during the initial test strip is determined to be unacceptable to remain in place by the Engineer, it shall be removed and replaced.

The limitations between the JMF and AJMF are as follows.

Parameter	Adjustment
1/2 in. (12.5 mm)	± 5.0 %
No. 4 (4.75 mm)	± 4.0 %
No. 8 (2.36 mm)	± 3.0 %
No. 30 (600 μm)	*
No. 200 (75 μm)	*
Asphalt Binder	± 0.3 %
Content	<u> </u>

<sup>\*</sup> In no case shall the target for the amount passing be greater than the JMF.

Any adjustments outside the above limitations will require a new mix design.

Mixture sampled to represent the test strip shall include additional material sufficient for the Department to conduct Hamburg Wheel testing according to Illinois Modified AASHTO T324 (approximately 60 lb (27 kg) total).

The Contractor shall immediately cease production upon notification by the Engineer of failing Hamburg Wheel test. All prior produced material may be paved out provided all other mixture criteria is being met. No additional mixture shall be produced until the Engineer receives passing Hamburg Wheel tests.

The Department may conduct additional Hamburg Wheel test on Foduction material as determined by the Engineer."

Revise the title of Article 1030.06(b) of the Standard Specificanous to read

"(b) Low ESAL and All Other Mixtures."

<u>System for Hydrated Lime Addition</u>. Revise the four a sentence of the third paragraph of Article 1030.04(c) of the Standard Specifications to National Specification (National Specification Specification Specification Specification Specification Specification Specification Specification (National Specification Specification Specification Specification Specification Specification Specification Specification (National Specification Specification Specification Specification Specification Specification Specification Specification (National Specification Specification Specification Specification Specification Specificatio

"The method of application shall be according to article 1102.01(a)(10)."

Replace the first three sentences of the second paragraph of Article 1102.01(a)(10) of the Standard Specifications to read:

"When hydrated lime is used as the anti-strip additive, a separate bin or tank and feeder system shall be provided to store and accurately proportion the lime onto the aggregate either as a slurry, as any line applied to damp aggregates, or as dry lime injected onto the hot aggregates prior to adding the liquid asphalt cement. If the hydrated lime is added either as a slurry or as dry line or damp aggregates, the lime and aggregates shall be mixed by a power driven argmill to provide a uniform coating of the lime prior to entering the dryer. If dry hydrated lime is added to the hot dry aggregates in a dryer-drum plant, the lime shall be added in such a manner that the lime will not become entrained into the air stream of the dryer-drum and that thorough dry mixing shall occur prior to the injection point of the liquid asphalt. When a batch plant is used, the hydrated lime shall be added to the mixture in the weigh hopper or as approved by the Engineer."

<u>Basis of Payment</u>. Replace the seventh paragraph of Article 406.14 of the Standard Specifications with the following:

"For mixes designed and verified under the Hamburg Wheel criteria, the cost of furnishing and introducing anti-stripping additives in the HMA will not be paid for separately, but shall be considered as included in the contract unit price of the HMA item involved.

If an anti-stripping additive is required for any other HMA mix, the cost of the additive will be paid for according to Article 109.04. The cost incurred in introducing the additive into the HMA will not be paid for separately, but shall be considered as included in the contract unit price of the HMA item involved.

No additional compensation will be awarded to the Contractor because of reduced production rates associated with the addition of the anti-stripping additive."

## REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE)

Effective: January 1, 2012 Revised: November 2, 2012

Revise Article 669.01 of the Standard Specifications to read

"669.01 Description. This work shall consist of the transportation and proper disposal of contaminated soil and water. This work shall also consist of the removal, transportation, and proper disposal of underground storage tanks (UST), their content and associated underground piping to the point where the piping is above the ground including determining the content types and estimated quantities."

Revise Article 669.08 of the Standard Oecilications to read:

"669.08 Contaminated Soil and/or Grundwater Monitoring. The Contractor shall hire a qualified environmental firm to conitor the area containing the regulated substances. The affected area shall be monitored with a photoionization detector (PID) utilizing a lamp of 10.6eV or greater or a flame ion zation detector (FID). Any field screen reading on the PID or FID in excess of background let els indicates the potential presence of contaminated material requiring handling as a non-special wast, special wast, or hazardous waste. No excavated soils can be taken to a clear construction and demolition debris (CCDD) facility or an uncontaminated soil fill operation with detectable PID or FID meter readings that are above background. The PID or FID meter shall be calibrated on-site and background level readings taken and recorded daily. All testing shall be done by a qualified engineer/technician. Such testing and monitoring shall be included in the work. The Contractor shall identify the exact limits of removal of non-special waste, special waste, or hazardous waste. All limits shall be approved by the Engineer prior to excavation. The Contractor shall take all necessary precautions.

Based upon the land use history of the subject property and/or PID or FID readings indicating contamination, a soil or groundwater sample shall be taken from the same location and submitted to an approved laboratory. Soil or groundwater samples shall be analyzed for the contaminants of concern, including pH, based on the property's land use history or the parameters listed in the maximum allowable concentration (MAC) for chemical constituents in uncontaminated soil established pursuant to Subpart F of 35 Illinois Administrative Code 1100.605. The analytical results shall serve to document the level of soil contamination. Soil and groundwater samples may be required at the discretion of the Engineer to verify the level of soil and groundwater contamination.

Samples shall be grab samples (not combined with other locations). The samples shall be taken with decontaminated or disposable instruments. The samples shall be placed in sealed containers and transported in an insulated container to the laboratory. The container shall maintain a temperature of 39 °F (4 °C). All samples shall be clearly labeled. The labels shall indicate the sample number, date sampled, location and elevation, and any other observations.

The laboratory shall use analytical methods which are able to meet the lowest appropriate practical quantitation limits (PQL) or estimated quantitation limit (EQL) specified in "Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods, EPA hublication No. SW-846 and "Methods for the Determination of Organic Compounds in Danking Water", EPA, EMSL, EPA-600/4-88/039. For parameters where the specified cleanup objective is below the acceptable detection limit (ADL), the ADL shall serve as the chanup objective. For other parameters the ADL shall be equal to or below the specified chanup objective."

Replace the first two paragraphs of Article 669 9 of the Standard Specifications with the following:

"669.09 Contaminated Soil and/or Goundwiter Management and Disposal. The management and disposal of contaminated soil and/or groundwater shall be according to the following:

- (a) Soil Analytical Results Fixceed Most Stringent MAC. When the soil analytical results indicate that detected levels exceed the most stringent maximum allowable concentration (MAC) for demical constituents in uncontaminated soil established pursuant to Subpart Final 35 Illinois Administrative Code 1100.605, the soil shall be managed as follows:
  - (1) When a relytical results indicate inorganic chemical constituents exceed the most stringen MAC but they are still considered within area background levels by the Engineer, the excavated soil can be utilized within the construction limits as fill, when suitable. Such soil excavated for storm sewers can be placed back into the excavated trench as backfill, when suitable, unless trench backfill is specified. If the soils cannot be utilized within the construction limits, they shall be managed and disposed of off-site as a non-special waste, special waste, or hazardous waste as applicable.
  - (2) When analytical results indicate chemical constituents exceed the most stringent MAC but do not exceed the MAC for a Metropolitan Statistical Area (MSA) County, the excavated soil can be utilized within the construction limits as fill, when suitable, or managed and disposed of off-site as "uncontaminated soil" at a CCDD facility or an uncontaminated soil fill operation within an MSA County provided the pH of the soil is within the range of 6.25 9.0, inclusive.
  - (3) When analytical results indicate chemical constituents exceed the most stringent MAC but do not exceed the MAC for an MSA County excluding Chicago, or the MAC within the Chicago corporate limits, the excavated soil can be utilized within the construction limits as fill, when suitable, or managed and disposed of off-site as "uncontaminated soil" at a CCDD facility or an uncontaminated soil fill operation within an MSA County excluding Chicago or within the Chicago corporate limits provided the pH of the soil is within the range of 6.25 9.0, inclusive.

- (4) When analytical results indicate chemical constituents exceed the most stringent MAC but do not exceed the MAC for an MSA County excluding Chicago, the excavated soil can be utilized within the construction limits as fill, when suitable, or managed and disposed of off-site as "uncontaminated oil at CCDD facility or an uncontaminated soil fill operation within an MSA County excluding Chicago provided the pH of the soil is within the range of 6.25 9.0, inclusive.
- (5) When the Engineer determines soil annot be managed according to Articles 669.09(a)(1) through (a)(4) above, the soil shall be managed and disposed of off-site as a non-special waste, special caste, or hazardous waste as applicable.
- (b) Soil Analytical Results Do Not Exceld Mos Stringent MAC. When the soil analytical results indicate that detected levels do not exceed the most stringent MAC but the pH of the soil is less than 6.25 or greater than 9.0, the excavated soil can be utilized within the construction limits or managed and disposed of off-site as "uncontaminated soil" according to Article 202 3. However the excavated soil cannot be taken to a CCDD facility or an uncontaminated soil fill operation.
- (c) Groundwater. When groundwater analytical results indicate the detected levels are above Appendix 8, Tabl. E of 35 Illinois Administrative Code 742, the most stringent Tier 1 Groundwater Lemediation Objectives for Groundwater Component of the Groundwater Industrian Route for Class 1 groundwater, the groundwater shall be managed oil site as a special waste.

All groundwater encountered within lateral trenches may be managed within the trench and allowed to infiltrate back into the ground. If the groundwater cannot be managed within the trench it must be removed as a special or hazardous waste. The Contractor is prohibited from managing groundwater within the trench by discharging it through any existing or new storm sewer. The Contractor shall install backfill plugs within the area of groundwater contamination.

One backfill plug shall be placed down gradient to the area of groundwater contamination. Backfill plugs shall be installed at intervals not to exceed 50 ft (15 m). Backfill plugs are to be 4 ft (1.2 m) long, measured parallel to the trench, full trench width and depth. Backfill plugs shall not have any fine aggregate bedding or backfill, but shall be entirely cohesive soil or any class of concrete. The Contractor shall provide test data that the material has a permeability of less than 10<sup>-7</sup> cm/sec according to ASTM D 5084, Method A or per another test method approved by the Engineer."

Revise Article 669.14 of the Standard Specifications to read:

"669.14 Final Environmental Construction Report. At the end of the project, the Contractor will prepare and submit three copies of the Environmental Construction Report on the activities conducted during the life of the project, one copy shall be submitted to the Resident Engineer, one copy shall be submitted to the District's Environmental Studies Unit, and one copy shall be submitted with an electronic copy in Adode.pdf format to the Geologic

and Waste Assessment Unit, Bureau of Design and Environment, IDOT, 2300 South Dirksen Parkway, Springfield, Illinois 62764. The technical report shall include an pertinent information regarding the project including, but not limited to:

- (a) Measures taken to identify, monitor, handle, and a post of soil or groundwater containing regulated substances, to prevent further migration of regulated substances, and to protect workers,
- (b) Cost of identifying, monitoring, handling, ar a discosing of soil or groundwater containing regulated substances, the cost of preventing further migration of regulated substances, and the cost for worker protection from the egulated substances. All cost should be in the format of the contract pay items lister in the contract plans (identified by the preliminary environmental site in estigation (ESA) site number),
- (c) Plan sheets showing the areas containing the regulated substances,
- (d) Field sampling and testing results used to identify the nature and extent of the regulated substances.
- (e) Waste manifests (identified by the preliminary environmental site investigation (PESA) site number) to special or hazardous waste disposal, and
- (f) Landfill tickets (identified by the preliminary environmental site investigation (PESA) site number) for not-special waste disposal."

Revise the second paragraph of Article 669.16 of the Standard Specifications to read:

"The transportation and disposal of soil and other materials from an excavation determined to be contaminated will be paid for at the contract unit price per cubic yard (cubic meter) for NON-SPECIAL WASTE DISPOSAL, OR HAZARDOUS WASTE DISPOSAL."

80283

### REMOVAL AND DISPOSAL OF SURPLUS MATERIALS (BDE)

Effective: November 2, 2012

Revise the first four paragraphs of Article 202.03 of the Stand Sp. sifications to read:

"202.03 Removal and Disposal of Surplus, Unstatle, Unsuitable, and Organic Materials. Suitable excavated materials shall not be was ad without permission of the Engineer. The Contractor shall dispose of all surplus, unstable, unsuitable, and organic materials, in such a manner that public or private preparty will not be damaged or endangered.

Suitable earth, stones and boulders naturally occurring within the right-of-way may be placed in fills or embankments in lifts and compacted according to Section 205. Broken concrete without protruding metal bars objects, rock, stone, reclaimed asphalt pavement with no expansive aggregate, or uncontaminated dirt and sand generated from construction or demolition activities may be used in embankment or in fill. If used in fills or embankments, these materials shall be placed and compacted to the satisfaction of the Engineer; shall be buried under a minimum of 2 ft (600 mm) of earth cover (except when the materials include only uncontaminated dirt); an shall not create an unsightly appearance or detract from the natural topographic features of an area. Broken concrete without protruding metal bars, bricks, rock, or stone may be used as riph in a approved by the Engineer. If the materials are used for fill in locations within the right of-way but outside project construction limits, the Contractor must specify to the Engineer, in writing, how the landscape restoration of the fill areas will be accomplished. Placement of fill in such areas shall not commence until the Contractor's landscape restoration plan is approved by the Engineer.

Aside from the materials listed above, all other construction and demolition debris or waste shall be disposed of in a licensed landfill, recycled, reused, or otherwise disposed of as allowed by State or Federal laws and regulations. When the Contractor chooses to dispose of uncontaminated soil at a clean construction and demolition debris (CCDD) facility or at an uncontaminated soil fill operation, it shall be the Contractor's responsibility to have the pH of the material tested to ensure the value is between 6.25 and 9.0, inclusive. A copy of the pH test results shall be provided to the Engineer.

A permit shall be obtained from IEPA and made available to the Engineer prior to open burning of organic materials (i.e., plant refuse resulting from pruning or removal of trees or shrubs) or other construction or demolition debris. Organic materials originating within the right-of-way limits may be chipped or shredded and placed as mulch around landscape plantings within the right-of-way when approved by the Engineer. Chipped or shredded material to be placed as mulch shall not exceed a depth of 6 in. (150 mm)."

# CHECK SHEET FOR RECURRING SPECIAL PROVISIONS

#### Adopted January 1, 2014

The following RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

#### RECURRING SPECIAL PROVISIONS CHECK SHEET # PAGE NO. 1 Additional State Requirements for Federal-Aid Construction Con-(Eff. 2-1-69)(Rev. 1-1-10) 149 Subletting of Contracts (Federal-Aid Contracts) (Eff. 1-1-88) (Rev. 152 EEO (Eff. 7-21-78) (Rev. 11-18-80) 3 153 Specific Equal Employment Opportunity Responsibility Federal-Aid Contracts 163 (Eff. 3-20-69) (Rev. 1-1-94) Required Provisions - State Contracts (Eff. 4 13) 168 Asbestos Bearing Pad Removal (Eff. 11-1-0 173 Asbestos Waterproofing Membrane and Asl tos Hot lix Asphalt Surface Removal 174 (Eff. 6-1-89) (Rev. 1-1-09) orary Stream Crossings, and In-Stream Work Pads Haul Road Stream Crossings, Other 8 (Eff. 1-2-92) (Rev. 1-1-98) 175 Construction Layout Stakes except for Bridges (Eff. 1-1-99) (Rev. 1-1-07) 176 9 Construction Layout States 10 ff, 5-1-93) (Rev. 1-1-07) 179 Use of Geotextile Fabric for Rain ad Crossing (Eff. 1-1-95) (Rev. 1-1-07) Subsealing of Corcrete Parements (Eff. 11-1-84) (Rev. 1-1-07) 182 11 184 12 Hot-Mix Asphalt urface Correction (Eff. 11-1-87) (Rev. 1-1-09) 13 188 Pavement an Shalder B 14 surfacing (Eff. 2-1-00) (Rev. 1-1-09) 190 PCC Partial Dep 1 Hot-ivix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07) 15 191 16 Patching Villians x Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07) 193 17 Polymer Co crete (Eff. 8-1-95) (Rev. 1-1-08) 194 18 PVC Pipeliner Eff. 4-1-04) (Rev. 1-1-07) 196 19 Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07) 197 20 Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-12) 198 21 202 Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-12) 22 Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07) 204 23 Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07) 206 24 Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07) 208 25 Night Time Inspection of Roadway Lighting (Eff. 5-1-96) 209 26 English Substitution of Metric Bolts (Eff. 7-1-96) 210 27 English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03) 211 Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01) (Rev. 1-1-13) 212 28 29 Portland Cement Concrete Inlay or Overlay for Pavements (Eff. 11-1-08) (Rev. 1-1-13) 213 30 Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-14) 216 31 Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-14) 224 32 Digital Terrain Modeling for Earthwork Calculations (Eff. 4-1-07) 240 Pavement Marking Removal (Eff. 4-1-09) 33 242 34 Preventive Maintenance – Bituminous Surface Treatment (Eff. 1-1-09) (Rev. 1-1-12) 243 35 Preventive Maintenance – Cape Seal (Eff. 1-1-09) (Rev. 1-1-12) 249 36 Preventive Maintenance – Micro-Surfacing (Eff. 1-1-09) (Rev. 1-1-12) 264 37 Preventive Maintenance – Slurry Seal (Eff. 1-1-09) (Rev. 1-1-12) 275

285

286

Temporary Raised Pavement Markers (Eff. 1-1-09) (Rev. 1-1-14)

Restoring Bridge Approach Pavements Using High-Density Foam (Eff. 1-1-09) (Rev. 1-1-12)

38

# CHECK SHEET FOR LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS

## Adopted January 1, 2014

The following LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

# LOCAL ROADS AND STREETS RECURRING SPECIAL ROOM YOUS

CHECK S	SHEE	IT#	PAGE NO
LRS 1		Reserved	290
LRS 2		Furnished Excavation (Eff. 1-1-99) (Rev. 1-1-07)	291
LRS 3		Work Zone Traffic Control (Eff. 1-1-99) (Rev. 1-1-10)	
LRS 4	X	Flaggers in Work Zones (Eff. 1-1-99) (Rev. 1-1-07)	293
LRS 5	X	Contract Claims (Eff. 1-1-02) (Rev. 1-1-07)	294
LRS 6		Bidding Requirements and Conditions for Contract Proposals (Eff. 1-1-02) (Rev. 1-1-13)	295
LRS 7		Bidding Requirements and Conditions for Ma erial Pro-osa. (Eff. 1-1-02) (Rev. 1-1-13)	301
LRS 8		Reserved	307
LRS 9		Bituminous Surface Treatments (Eff. 17-99) (Nav. 1-111)	308
LRS 10		Reserved	309
LRS 11	$\times$	Employment Practices (Eff. 1-1-99)	310
LRS 12		Wages of Employees on Public Works (Em 1-1-99) (Rev. 1-1-14)	312
LRS 13	X	Selection of Labor (Eff. 1 3 (Rev. 1-1-12)	314
LRS 14		Paving Brick and Concrete Pave Pavements and Sidewalks (Eff. 1-1-04) (Rev. 1-1-09)	315
LRS 15	$\times$	Partial Payments (Fig. 1-107)	318
LRS 16		Protests on Local Lettings (L. f. 1-1-07) (Rev. 1-1-13)	319
LRS 17	X	Substance Altuse Treventic Program (Eff. 1-1-08)(Rev. 1-8-08)	320
LRS 18		Multigrade Cold Vix Asphalt (Eff. 1-1-07) (Rev. 1-1-13)	321

# State of Illinois Department of Transportation Bureau of Local Roads and Streets

# SPECIAL PROVISION FOR BIDDING REQUIREMENTS AND CONDITIONS FOR CONTRACT AROPOSALS

Effective: January 1, 2001 Revised: January 1, 201

All references to Sections or Articles in this specification hall be construed to mean specific Section or Article of the Standard Specifications for Social and Bridge Construction, adopted by the Department of Transportation.

Replace Article 102.01 of the Standard Specification, with the following:

"Prequalification of Bidders. When prequalification is required and the Awarding Authority for contract construction work is the County Brard of a County, the Council, the City Council, or the President and Board of Trusters of a city, village, or town, each prospective bidder, in evidence of competence, shall furnish the Arrading Authority as a prerequisite to the release of proposal forms by the Awarding Authority, a sertified or photostatic copy of a "Certificate of Eligibility" issued by the Department of Transportation, according to the Department's "Prequalification Manual".

The two low by ders. Lest file, within 24 hours after the letting, a sworn affidavit in triplicate, showing all uncompleted contracts awarded to them and all low bids pending award for Federal, State, County, Municipal and private work, using the blank form made available for this affidavit. One copy shall be filed with the Awarding Authority and two copies with IDOT's District office.

<u>Issuance of Proposal Forms</u>. The Awarding Authority reserves the right to refuse to issue a proposal form for bidding purposes for any of the following reasons:

- (a) Lack of competency and adequate machinery, plant, and other equipment, as revealed by the financial statement and experience questionnaires required in the prequalification procedures.
- (b) Uncompleted work which, in the judgment of the Awarding Authority, might hinder or prevent the prompt completion of additional work awarded.
- (c) False information provided on a bidder's "Affidavit of Availability".
- (d) Failure to pay, or satisfactorily settle, all bills due for labor and material on former contracts in force at the time of issuance of proposal forms.
- (e) Failure to comply with any prequalification regulations of the Department.
- (f) Default under previous contracts.
- (g) Unsatisfactory performance record as shown by past work for the Awarding Authority, judged from the standpoint of workmanship and progress.
- (h) When the Contractor is suspended from eligibility to bid at a public letting where the contract is awarded by, or requires approval of, the Department.
- (i) When any agent, servant, or employee of the prospective bidder currently serves as a member, employee, or agent of a governmental body that is financially involved in the proposal work.

(j) When any agent, servant, or employee of the perspective bidder has participated in the preparation of plans or specifications for the proposed work.

Interpretation of Quantities in the Bid Schedule. The quantities appearing in the bid schedule are approximate and are prepared for the comparison of bids. Payment to the Contractor will be made only for the actual quantities of work performed and accept a r materials furnished according to the contract. The scheduled quantities of work to be done and materials to be furnished may be increased, decreased, or omitted as hereinafter provided.

Examination of Plans, Specifications, Special Provisions and Site of Work. The bidder shall, before submitting a bid, carefully examine the provisions the contract. The bidder shall some familiar with all the local inspect in detail the site of the proposed work, investigate and conditions affecting the contract and fully acquaint yem elves with the detailed requirements of construction. Submission of a bid shall be a conclusive assurance and warranty the bidder has made these examinations and the bidder understand, all requirements for the performance of the work. If his/her bid is accepted, the bidd r shall be responsible for all errors in the proposal comply with these instructions. The Awardina resulting from his/her failure or neglest to Authority will, in no case, be responsible for any costs, expenses, losses, or change in anticipated profits resulting from such failure or neglect of the bidder to make these examinations.

The bidder shall take no advantage of any error or omission in the proposal and advertised contract. Any prospective plotter, who desires an explanation or interpretation of the plans, specification, or any of the contract documents, shall request such in writing from the Awarding Authority, in sufficient time to allow a written reply by the Awarding Authority that can reach all prospective bidders betwee the submission of their bids. Any reply given a prospective bidder concerning any on the contract documents, plans, and specifications will be furnished to all prospective bidders in the form determined by the Awarding Authority including, but not limited to, an addendum, if the information is deemed by the Awarding Authority to be necessary in submitting bids or if the Awarding Authority concludes the information would aid competition. Oral explanations, interpretations, or instructions given before the submission of bids unless at a prebid conference will not be binding on the Awarding Authority.

<u>Preparation of the Proposal</u>. Bidders shall submit their proposals on the form furnished by the Awarding Authority. The proposal shall be executed properly, and bids shall be made for all items indicated in the proposal form, except when alternate bids are asked, a bid on more than one alternate for each item is not required, unless otherwise provided. The bidder shall indicate in figures, a unit price for each of the separate items called for in the proposal form; the bidder shall show the products of the respective quantities and unit prices in the column provided for that purpose, and the gross sum shown in the place indicated in the proposal form shall be the summation of said products. All writing shall be with ink or typewriter, except the signature of the bidder which shall be written in ink.

If the proposal is made by an individual, that individual's name and business address shall be shown. If made by a firm or partnership, the name and business address of each member of the firm or partnership shall be shown. If made by a corporation, the proposal shall show the names, titles, and business addresses of the president, corporate secretary and treasurer. The proposal shall be signed by president or someone with authority to execute contracts and attested by the corporate secretary or someone with authority to execute or attest to the execution of contracts.

When prequalification is required, the proposal form shall be submitted by an authorized bidder in the same name and style as shown on the "Contractor's Statement of Experience and Financial Condition" used for prequalification.

Rejection of Proposals. The Awarding Authority reserves the right to reject any proposal for any of the conditions in "Issuance of Proposal Forms" or for any of the roll wing reasons:

- (a) More than one proposal for the same work from an individual, rm, partnership, or corporation under the same name or different names
- (b) Evidence of collusion among bidders.
- (c) Unbalanced proposals in which the bid prices for some items are, in the judgment of the Awarding Authority, out of proportion to the bid price for other items.
- (d) If the proposal does not contain a unit price for each pay item listed, except in the case of authorized alternate pay items or lump a many tems.
- (e) If the proposal form is other than that Arnished by the Awarding Authority; or if the form is altered or any part thereof is detach d.
- (f) If there are omissions, erasures, atterations, unauthorized additions, conditional or alternate bids, or irregularities of any kind which may tend to make the proposal incomplete, indefinite or ambiguous as to its meaning.
- (g) If the bidder adds any provisions eserving the right to accept or reject an award, or to enter into a contract ran uant to an award.
- (h) If the proposal is not accompanied by the proper proposal guaranty.
- (i) If the proposal is prepared with other than ink or typewriter, or otherwise fails to meet the requirements of the above "Preparation of Proposal" section.

<u>Proposal Guaranty</u>. Each proposal shall be accompanied by a bid bond on the Department form contained in the proposal, executed by a corporate surety company satisfactory to the Awarding Authority, by a bank cashier's check or a properly certified check for not less than five percent of the amount bid, or for the amount specified in the following schedule:

A	amount Bid	Proposal Guaranty
Up to	\$5,000	\$150
>\$5,000	\$10,000	\$300
>\$10,000	\$50,000	\$1,000
>\$50,000	\$100,000	\$3,000
>\$100,000	\$150,000	\$5,000
>\$150,000	\$250,000	\$7,500
>\$250,000	\$500,000	\$12,500
>\$500,000	\$1,000,000	\$25,000
>\$1,000,000	\$1,500,000	\$50,000
>\$1,500,000	\$2,000,000	\$75,000
>\$2,000,000	\$3,000,000	\$100,000
>\$3,000,000	\$5,000,000	\$150,000
>\$5,000,000	\$7,500,000	\$250,000
>\$7,500,000	\$10,000,000	\$400,000
>\$10,000,000	\$15,000,000	\$500,000
>\$15,000,000	\$20,000,000	\$600,000
>\$20,000,000	\$25,000,000	\$700,000
>\$25,000,000	\$30,000,000	\$800,000
>\$30,000,000	\$35,000,000	\$900,000
Over	\$35,000,000	\$1,000,000

In the event that one proposal guaranty check is intended to cover two or more proposals, the amount must equal to the sum of the proposal guaranties which would be required for each individual proposal.

Bank cashier's checks or properly certified checks accompanying preposals shall be made payable to the County Treasurer, when a County is the Awarding A thority or the City, Village, or Town Treasurer, when a city, village, or town is the Awarding A thority.

The proposal guaranty checks of all, except the two lower responsible, will be returned promptly after the proposals have been checked, tabulated, and the relation of the proposals established. Proposal guaranty checks of the two lowest bidders will be returned as soon as the contract and contract bond of the successful bidders are been properly executed and approved. Bid bonds will not be returned.

After a period of three working days have elapsed after the date of opening proposals, the Awarding Authority may permit the two lowest bilders to substitute for the bank cashier's checks or certified checks submitted with their proposals as proposal guaranties, bid bonds on the Department forms executed by con prate surety companies satisfactory to the Awarding Authority.

Delivery of Proposals. If a special envelope is supplied by the Awarding Authority, each proposal should be submitted in that envelope furnished by the Awarding Authority and the blank spaces on the envelope shall be filled in correctly to clearly indicate its contents. When an envelope other than the special one furnished by the Awarding Authority is used, it shall be marked to clearly indicate its contents. When sent by mail, the sealed proposal shall be addressed to the Avarding Authority at the address and in care of the official in whose office the bids are to be received. All proposals shall be filed prior to the time and at the place specified in the Notice to Bidders. Proposals received after the time specified will be returned to the bidder unopened.

<u>Withdrawal of Proposals</u>. Permission will be given a bidder to withdraw a proposal if the bidder makes the request in writing or in person before the time for opening proposals.

<u>Public Opening of Proposals</u>. Proposals will be opened and read publicly at the time and place specified in the Notice to Bidders. Bidders, their authorized agents, and other interested parties are invited to be present.

<u>Consideration of Proposals</u>. After the proposals are opened and read, they will be compared on the basis of the summation of the products of the quantities shown in the bid schedule by the unit bid prices. In awarding contracts, the Awarding Authority will, in addition to considering the amounts stated in the proposals, take into consideration the responsibility of the various bidders as determined from a study of the data required under "Prequalification of Bidders", and from other investigations which it may elect to make.

The right is reserved to reject any or all proposals, to waive technicalities, or to advertise for new proposals, if in the judgment of the Awarding Authority, the best interests of the Awarding Authority will be promoted thereby.

<u>Award of Contract</u>. The award of contract will be made within 45 calendar days after the opening of proposals to the lowest responsible and qualified bidder whose proposal complies with all the requirements prescribed. The successful bidder will be notified by letter of intent that his/her bid has been accepted, and subject to the following conditions, the bidder will be the Contractor.

An approved contract executed by the Awarding Authority is required before the Awarding Authority is bound. An award may be cancelled any time by the Avarding Authority prior to execution in order to protect the public interest and integrity of the bids and process or for any other reason if, in the judgment of the Awarding Authority the last interests of the Awarding Authority will be promoted thereby.

If a contract is not awarded within 45 days after the opening of proposals, bidders may file a written request with the Awarding Authority for the written and the Awarding Authority will permit such withdrawal.

Requirement of Contract Bond. If the Avarding Authority requires a Contract Bond, the Contractor or Supplier shall furnish the Awarding Authority a performance and payment bond with good and sufficient sureties in the in amount of the award as the penal sum. The surety shall be acceptable to the Awarding Authority, shall waive notice of any changes and extensions of time, and shall submit its bord on the form furnished by the Awarding Authority.

<u>Execution of Contract.</u> The contract shall be executed by the successful bidder and returned, together with the Contract Bond, within 15 days after the contract has been mailed to the bidder.

If the bidder to whom he award is made is a corporation organized under the laws of a State other than Illinois, the bidder shall furnish the Awarding Authority a copy of the corporation's Certificate of Authority to do business in the State of Illinois with the return of the executed contract and bond. Failure to furnish such evidence of a Certificate of Authority within the time required will be considered as just cause for the annulment of the award and the forfeiture of the proposal guaranty to the Awarding Authority, not as a penalty, but in payment of liquidated damages sustained as a result of such failure.

<u>Failure to Execute Contract</u>. If the contract is not executed by the Awarding Authority within 15 days following receipt from the bidder of the properly executed contracts and bonds, the bidder shall have the right to withdraw his/her bid without penalty.

Failure of the successful bidder to execute the contract and file acceptable bonds within 15 days after the contract has been mailed to the bidder shall be just cause for the cancellation of the award and the forfeiture of the proposal guaranty which shall become the property of the Awarding Authority, not as penalty, but in liquidation of damages sustained. Award may then be made to the next lowest responsible bidder, or the work may be readvertised and constructed under contract, or otherwise, as the Awarding Authority may decide."

# State of Illinois DEPARTMENT OF TRANSPORTATION Bureau of Local Roads & Streets

# SPECIAL PROVISION FOR WAGES OF EMPLOYEES ON PUBLIC WORK

Effective: January 1, 1999 Revised: January 1, 2014

- 1. Prevailing Wages. All wages paid by the Contractor at subcontractor shall be in as amended, except where a compliance with The Prevailing Wage Act (820 4 S 130) ruling, the rate conforming to the federal prevailing wage violates a federal law, order, partment of Labor publishes the prevailing law, order, or ruling shall govern. The Illinois D /ac\_ncy/idol/rates/rates.htm. wage rates on its website at www.stat Department of Labor revises the prevailing wage rates, the revised prevailing wage rates on the Illinois Department of Labor's website shall a oply to this contract and the Contractor will not be allowed additional compensation on account of said revisions. The Contractor shall review the wage rates applicable to be work of the contract at regular intervals in order to ensure the timely payment of current large rates. The Contractor agrees that no additional notice is required. The Contactor shall be responsible to notify each subcontractor of the wage rates set forth in this contract and any revisions thereto.
- 2. Payroll Records. The Contractor and each subcontractor shall make and keep, for a period of not less than five lears from the date of the last payment on a contract or subcontract, records of all laborers, had nanics, and other workers employed by them on the project; the records shall statical formation required by 820 ILCS 130/5 for each worker. Upon seven business days votice, the Contractor and each subcontractor shall make available for inspection and copying at a location within this State during reasonable hours, the payroll records to the public body in charge of the project, its officers and agents, the Director of Labor and his deputies and agents, and to federal, State, or local law enforcement agencies and prosecutors.
- 3. Submission of Payroll Records. The Contractor and each subcontractor shall, no later than the 15th day of each calendar month, file a certified payroll for the immediately preceding month with the public body in charge of the project, except that the full social security number and home address shall not be included on weekly transmittals. Instead the payrolls shall include an identification number for each employee (e.g., the last four digits of the employee's social security number). The certified payroll shall consist of a complete copy of the payroll records except starting and ending times of work each day may be omitted

The certified payroll shall be accompanied by a statement signed by the Contractor or subcontractor or an officer, employee, or agent of the contractor or subcontractor which avers that: (i) he or she has examined the certified payroll records required to be submitted by the Act and such records are true and accurate; (ii) the hourly rate paid to each worker is not less than the general prevailing rate of hourly wages required; and (iii) the Contractor or subcontractor is aware that filing a certified payroll that he or she knows to be false is a Class A misdemeanor.

4. Employees Interviews. The Contractor and each subcontractor shall permit his/her employees to be interviewed on the job, during working hours, by compliance investigators of the Department or the Department of Labor.

State of Illinois
Department of Transportation
Bureau of Local Roads and Streets

SPECIAL PROVISION FOR FLAGGERS IN WORK ZONES

Effective: January 1, 1959 Revised: January 1, 207

Revise the last paragraph of Article 701.13 of the Standard Specifications to read:

"Flaggers are required only when worke's are present."

# State of Illinois Department of Transportation Bureau of Local Roads and Streets

### SPECIAL PROVISION FOR CONTRACT CLAIMS

Effective: January 1, 2002 Revised: January 1, 2007

Revise the second sentence of subparagraph a) Article 109.09 of the Standard Specifications to read:

"All claims shall be submitted to the Engineer."

Revise subparagraph (e) of Article 1929 of the Standard Specifications to read:

"(e) Procedure. All Claims shall be submitted to the Engineer. The Engineer will consider all information submitted with the claim. Claims not conforming to this Article will be returned without consideration. The Engineer may schedule a claim presentation meeting if, in the Engineer's judgement, such a meeting would aid in resolution of the claim, otherwise a decision will be based on the claim documentation submitted. A final decision will be rendered with 190 days of receipt of the claim.

Full compliance by the Contractor with the provisions specified in this Article is a contractual condition precedent to the Contractor's right to seek relief in the Court of Claims. The Engineer's written decision shall be the final administrative action of the Department. Unless the Contractor files a claim for adjudication by the Court of Claims within 60 days after the date of the written decision, the failure to file shall constitute a release and waiver of the claim."

# State of Illinois Department of Transportation Bureau of Local Roads and Streets

### SPECIAL PROVISION FOR EMPLOYMENT PRACTICES

Effective: January 1, 1999

In addition to all other labor requirements so orth in his proposal and in the Standard Specifications for Road and Bridge Construction, adopted by the Department of Transportation, during the performs ace of this contract, the Contractor for itself, its assignees, and successors in interest (hereinafter referred to as the "Contractor") agrees as follows:

Selection of Labor. The Contractor shall comply with all Illinois statutes pertaining to the selection of labor.

Equal Employment Opportunity. During the performance of this contract, the Contractor agrees as follows:

- (a) That it will not decriminate against any employee or applicant for employment because of race, color, religion, sex, national origin, ancestry, age, in that status, physical or mental handicap or unfavorable discharge from military service, and further that it will examine all job classifications to determine if minority persons or women are underutilized and will take appropriate affirmative action to rectify any such underutilization.
- (b) That, if it hires additional employees in order to perform this contract or any portion hereof, it will determine the availability of minorities and women in the area(s) from which it may reasonably recruit and it will hire for each job classification for which employees are hired in such a way that minorities and women are not underutilized.
- (c) That, in all solicitations or advertisements for employees placed by it or on its behalf, it will state that all applicants will be afforded equal opportunity without discrimination because of race, color, religion, sex, national origin, ancestry, age, marital status, physical or mental handicap or unfavorable discharge from military service.

That it will send to each labor organization or representative of workers with which it has or is bound by collective bargaining or other agreement or understanding, a notice advising such labor organization or representative of the Contractor's obligations under the Illinois Human Rights Act and the Department's Rules and Regulations. If any such labor organization or representative fails or refuses to cooperate with the Contractor in its efforts to comply with so such Act and Rules and Regulations, the Contractor will promptly so notify the Illinois Department of Human Rights and the contracting agency and will recruit employees from other sources when necessary to fulfill its obligations thereunder.

- (e) That it will submit reports as required by the Department of Human Rights Rules and Regulations, furnish all relevant information as may from time to time be requested by the Department or the contracting agency, and in all respects comply with the Illinois Human Rights Act and the Department's Rules and Regulations.
- (f) That it will permit access to all relevant books, resorts, accounts and work sites by personnel of the contracting agency princis Department of Human Rights for purposes of investigation to ascertain compliance with the Illinois Human Rights Act and the Department's Rule and Regulations.
- (g) That it will include verbatim or by reference the provisions of this clause in every subcontract so that such provisions will be binding upon every such subcontractor. In the same hanner as with other provisions of this contract, the Contractor will be liable or combliance with applicable provisions of this clause by all its subcontractor, and further it will promptly notify the contracting agency and the Illinois Department of Human Rights in the event any subcontractor fails or refuses to comply therewith. In addition, the Contractor will not utilize any subcontractor declared by the subcontracts with the State of Illinois or any of its political subdivisions or municipal corporations.

# State of Illinois Department of Transportation Bureau of Local Roads and Streets

SPECIAL PROVISION FOR SELECTION OF LABOR

Effective: January 1, 1999 Revised: January 1, 2012

The Contractor shall comply with all Illinois statutes pertaining to the selection of labor.

Employment of Illinois Workers Duling Pellods of Excessive Unemployment. Whenever there is a period of excessive than ployment in Illinois, which is defined herein as any month immediately to loging two consecutive calendar months during which the level of unemployment in the State of Illinois has exceeded five percent as measured by the United States Bureau of Labor Statistics in its monthly publication of employment and unemployment figures, the Contractor shall employ at least 90 percent Illinois laborars. "Illinois laborer" means any person who has resided in Illinois for at least 30 days and intends to become or remain an Illinois resident.

Other laborers hay be used when Illinois laborers as defined herein are not available, or all interpole of performing the particular type of work involved, if so certified by the Contractor and approved by the Engineer. The Contractor may place no more than three of his regularly employed non-resident executive and technical experts, who do not qualify as Illinois laborers, to do work encompassed by this Contract during a period of excessive unemployment.

This provision applies to all labor, whether skilled, semi-skilled or unskilled, whether manual or non-manual.

State of Illinois
Department of Transportation

SPECIAL PROVISION FOR PARTIAL PAYMENTS

Effective: January 1, 2007

Add the following after the first paragraph of Afticle 109.07(a) of the Standard Specifications:

determined for the first 50 percent "The State will deduct from the amount st ten proont to be retained until after the of the completed work a sum or tisfaction of the Engineer. After completion of the entire work the s pleted, the Engineer may, at his/her 50 percent or more of the airing partial payments without any further discretion, certify the ren retention, provided that satisfactory progress is being made, and provided that the amount retuned is not less than five percent of the total adjusted contract price. When the principal items of the work have been satisfactorily final stimate may be made with the consent of the completed, a surety. Payment to be Contractor under such an estimate shall not exceed he ap bunt retained after making partial payments, but in no 90 percent of e amount retained after making the semi-final payment be less event shall to t of the adjusted contract price, nor less than \$500.00. than of

When any payment is made directly to the State, payments for completed work shall have deducted the proportionate share of the cost to be borne by the State. The deduction will be the estimated cost to the State divided by the awarded contract value with this percentage applied to the value of work in place. Any adjustment to be made because of changed quantities will be made when the final payment is being processed. No retainage will be held from the value of such payments."

# State of Illinois Department of Transportation Bureau of Local Roads and Streets

# SPECIAL PROVISION FOR SUBSTANCE ABUSE PREVENTION PROGRA

Effective: January 1, 2008 Revised: January 1, 2014

In addition to all other labor requirements so for in this proposal and in the Standard Specification for Road and Bridge Construction, adopted by the Department, during the performance of his contract, the Contractor for itself, its assignees, and successors in interest (hereinafter referred to as the "Contractor") agrees as follows:

Substance Abuse Prevention Program. Before the Contractor and any subcontractor commences work, the Contractor and any subcontractor shall have in place a written Substance Abuse Prevention Program for the prevention of substance abuse among its employees which maets or exceeds the requirements in 820 ILCS 265 or shall have a collective bargaining agreement in effect dealing with the subject matter of 820 ILCS 265.

The Contractor and an subcontractor shall file with the public body engaged in the construction of the public works: a copy of the Substance Abuse Prevention Program along with a cover letter certifying that their program meets the requirements of the Act, or a letter certifying that the Contractor or a subcontractor has a collective bargaining agreement in effect dealing with the subject matter of this Act.

## INDEX OF SPECIAL PROVISIONS

PREQUALIFICATIONS OF BIDDERS	1
LOCATION OF IMPROVEMENT	1
DESCRIPTION OF WORK	1
TRAFFIC	1
TRAFFIC CONTROL PLAN	2
GENERAL AREA CLEANUP	2
HIGHWAY STANDARDS	2
UTILITIES	3
HOT-MIX ASPHALT SURFACE COURSE	
DRIVEWAYS & ENTI ANCES	3
MAILBOX TURNOUS	3
EQUIPMENT FOR WEIGHING BITUMINOUS MIXTURES	3
QUALITY CONTROL/QUALITY ASSURANCE	4
PAVING OPERATIONS	4
BITUMINOUS MATERIALS (PRIME COAT)	4
AGGREGATE (PRIME COAT)	4
HOT-MIX ASPHALT SURFACE REMOVAL – BUTT JOINT	4
FINE AGGREGATE FOR HOT-MIX ASPHALT (HMA) (D-1)	6
RECLAIMED ASPHALT PAVEMENT AND SHINGLES (D-1)	7

# **Special Provisions**

The following Special Provisions supplement the "Standard Specifications for Road and Bridge Construction", adopted January 1, 2012, (herein after referred to as the Standard Specifications); the latest edition of the "Illinois Manual on Uniform Traffic Central Devices for Streets and Highways"; and the Manual of Test Procedures for Materials in effect on the date of invitation for bids; and "Supplemental Specifications and Recursing Special Provisions" indicated on the Check Sheet included herein, which apply to and govern the above mentioned improvement, and in case of conflict with any part or parts of said specifications, the said Special Provisions shall take precedence and shall govern.

# PREQUALRICATIONS OF BIDDERS

Prequalification of bidders shall be required in accordance with LR 102.

## TOTATION OF IMPROVEMENT

The location for this section is a Burton Township, McHenry County, Illinois on various roads with an improvement of 4,930 feet.

## **DESCRIPTION OF WORK**

The work consists of the construction of a 1.5" lift of Hot-Mix Asphalt Surface Course, IL 9.5, N50 along with necessary and related work as detailed in the Special Provisions and the Estimate of Quantities.

## **TRAFFIC**

All roads shall remain open to traffic. The Contractor shall obtain, erect, maintain and remove all signs, barricades, flagmen and other traffic control devices as may be necessary for the regulating, warning or guiding of traffic. Placement and maintenance of traffic control devices shall be as directed by the Engineer and in accordance with the applicable parts of Article 107.14 of the Standard Specifications. All traffic control shall be considered incidental to the contract.

### TRAFFIC CONTROL PLAN

The Engineer shall be responsible for administration of the Traffic Control Plan.

Access to abutting properties shall be maintained at all times.

Traffic Control shall be according to the applicable sections of the Standard Specifications, the Supplemental Specifications, the "Illinois Manual on Utiforn Traffic Control Devices for Streets and Highways", any special details and Highway Standards contained in the plans and the Special Provisions contained herein.

Special attention is called to Article 107.9 and its applicable parts of Section 701 and 703 of the Standard Specifications and the following Hydway Standards, Supplemental Specifications and Recurring Special Provisions or other Special Provisions relating to traffic control.

Highway Standards: 701306, 701011, 70 301, 701311, 701901, BLR-24

For projects that shall exceed four ( ) days duration, all signs except those referring to daily lane closures shall be post-mounted accordance with Highway Standard 701901.

The Contractor shall insere the all traffic control devices installed by the contractor are in place and operational ever the reluding Sundays, holidays and under all weather conditions.

The Contractor shall obtain, erect, maintain and remove any and all signs, barricades, flaggers and other traffic control devices as may be necessary for the purpose of regulating, warning and guiding traffic. No contractor personnel or equipment shall be allowed onto the road surface or shoulders unless flaggers and traffic control devices are in place. Placement and maintenance of all traffic control devices shall be in accordance with the applicable Highway Standards and as directed by the Engineer.

All traffic control and traffic control devices shall be considered incidental and will not be measured for payment.

## **GENERAL AREA CLEANUP**

The Contractor shall be responsible for disposing all surplus materials or construction debris related to the job. The Contractor shall also be responsible for any refuse that was discarded by the crews during the paving project.

# **HIGHWAY STANDARDS**

Any reference to Highway Standards shall be assumed to mean the most recent revision in effect at the time of letting.

### **UTILITIES**

The Contractor shall take any necessary precautions to protect the property of the various public and/or private utilities which may be located underground or above ground at or adjacent to the sites of this improvement(s). It shall be the Contractor's responsibility a determine from the respective utility companies the actual location of their facilities and to make arrangements to have the utility companies remove or relocate any facilities that way interfere with this improvement(s) prior to starting the work.

### HOT-MIX ASPHALT SURFACE COURSE

This work consists of construction of Hot-Mix As has Surface Course, IL 9.5, N50 along with necessary and related work and shall be done in accordance to applicable parts of Article 406 of the Standard Specifications.

Hot-Mix Asphalt Surface Course, IL 9.5, N 50 shall be furnished and spread by machine and hand methods and thoroughly compacted by rolling. One (1) lift of Hot-Mix Asphalt Surface Course, IL 9.5, N 50 shall serve as both a leveling course and a surface course. Allowances shall be made to correct non-uniform alignment, crown deficiencies and fill depressions while maintaining an average of 168 pounds per square yard (±1.5").

The thickness of the one nous mixture as described is a nominal thickness. Deviations may occur due to irregularities in the existing surface on which the bituminous mixtures are placed.

## DRIVEWAYS & ENTRANCES

Entrances shall be constructed to whatever width and length dimensions are necessary to create and maintain a satisfactory riding condition with approval of the Engineer.

## MAILBOX TURNOUTS

Mailbox turnouts shall be paved in accordance with Standard BLR 24 or to a dimension conforming to existing conditions.

### **EQUIPMENT FOR WEIGHING BITUMINOUS MIXTURES**

Contractors shall comply with Article 1102.01(a)(9) of the Standard Specifications. Contractors will not be compensated for any bituminous mixtures which are not weighed in accordance with Article 1102.01(a)(9) of the Standard Specifications and utilized on the project.

### **QUALITY CONTROL/QUALITY ASSURANCE**

This is a Quality Control/Quality Assurance (QC/QA) project in accordance with Article 1030 of the Standard Specifications. Per the Standard Specifications, the Contractor shall submit, in writing to the Engineer, a proposed QC plan for the project for approval before construction. The Contractor shall notify both the Engineer and McKarry County's material testing agency 48 hours prior to any paving operations. The Contractor shall also notify the IDOT Bureau of Materials at (847) 705-4337 48 hours prior to any paving operations to set up required plant inspection. Calls must be placed prior to closing at 4:15 pm Monday through Friday.

## PAVING CARRATIONS

The Contractor shall, at all times, provide minimum five (5) man crew for all paving operations. The five man crew will consist of a dump man, paver operator, two back screed operators and at least one lute man. The Contractor shall, when needed, lute the center seam between the two new layers of harminous mix.

## BITUMIN US MATERIALS (PRIME COAT)

This work shall be performed in accordance with the applicable parts of Article 406 of the Standard Specifications. The bituminous material for prime coat between HMA layers shall be emulsified asphalt SS. Application rate for SS-1 shall be 0.08 gallons per square yard unless specified otherwise by the Engineer. The contractor shall place signs in accordance with Article 701.17(c)(1) of the Standard Specifications.

## **AGGREGATE (PRIME COAT)**

This work shall be performed in accordance with the applicable parts of Article 406.05(b) of the Standard Specifications. Method of measurement shall be by the ton and in accordance with the applicable parts of Article 406. The application rate shall be 3 pounds per square yard unless specified otherwise by the Engineer.

# HOT-MIX ASPHALT SURFACE REMOVAL – BUTT JOINT

Provisions shall be made for a satisfactory transition between pavement being resurfaced and pavement remaining at existing grade. The Contractor shall remove to a depth as specified in such a manner that a straight joint will be secured. The work shall be accomplished in accordance with the applicable portions of Article 406.08 of the Standard Specifications. The butt joints shall be cut to a depth of 1-1/2" and taper to zero in a length specified in the Estimate of Quantities for Hot-Mix Asphalt Surface Removal - Butt Joint. Butt joints shall be ramped immediately upon completion of Hot-Mix Asphalt Surface Removal.

McHenry County Section 14-03000-01-GM Burton Township Road District

Prior to construction of the butt joints, the contractor shall install appropriate signing in accordance with the requirements of Section 701 of the Standard Specifications. Upon completion of the butt joint operations, "Road Construction Ahead" and "Bump" signs shall be placed on each side of the road at both the upstream and downstream ends of the area removed and remain in place until all construction on the project has been completed "Road Construction Ahead" signs shall be accompanied by signs in accordance with Section 701 of the Standard Specifications during construction operations.

When butt joints are to be constructed under traffic, the confactor shall provide and maintain temporary bituminous ramps at both upstream and demastreamends of the area removed. The Contractor shall have sufficient bituminous materials meeting the approval of the Engineer at the worksite to construct the ramps before beginning parement surface removal. Surface removal shall be in accordance with Section 440 of the Standard Specifications. Cold-milled bituminous tailings will not be acceptable for temporary ramps. The temporary ramps shall be constructed immediately upon completion of the removal operation. Ramps shall have a minimum taper rate of 1:40 (V:H) and shall extend the entire adth of the roadway.

The contractor shall be assessed in uidated damages in the amount of \$100 per calendar day per location, not as a penalty but as a unidated damages for each calendar day the temporary bituminous ramps or appropriate signs have not been installed in accordance with this special provision.

If both the temporary bruminous ramps and appropriate signs have not been installed in accordance with this spicial provision, the contractor shall be assessed liquidated damages in the amount of \$200 per calendar day per location.

Not more than seven (7) calendar days will be allowed between the time the Contractor starts removal of the existing pavement and the time the proposed surface course is to be placed.

The work will be paid for by the square yard, measured in place and computed as HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT which price will include all the necessary equipment and labor to complete and maintain temporary bituminous ramps.

FINE AGGREGATE FOR HOT- MIX ASPHALT (HMA) (D-1)

Effective: May 1, 2007 Revised: January 1, 2012

Revise Article 1003.03 (c) of the Standard Specifications to red:

"(c) Gradation. The fine aggregate gradation for all IMA shall be FA1, FA 2, FA 20, FA 21 or FA 22. When Reclaimed Asphalt Pavement (RAF) is incorporated in the HMA design, the use of FA 21 Gradation will not be semitted

### RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES (D-1)

Effective: November 1, 2012 Revise: November 1, 2013

Revise Section 1031 of the Standard Specifications to read

# "SECTION 1031. RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES

**1031.01 Description.** Reclaimed asphalt prives ent and reclaimed asphalt shingles shall be according to the following.

- (a) Reclaimed Asphalt Pavement (CAP) NAT is the material resulting from cold milling or crushing an existing hot-mix a phalt (HMA) pavement. RAP will be considered processed FRAP after completion of both crushing and screening to size. The Contractor shall supply written documentation that the RAP originated from routes or airfields under federal, state or local agency jurisdiction.
- (b) Reclaimed Asphalt Shint les (RAS). Reclaimed asphalt shingles (RAS). RAS is from the processing an grincing of preconsumer or post-consumer shingles. RAS shall be a clean and uniform material with a maximum of 0.5 percent unacceptable material, as defined in Tureau. If Materials and Physical Research Policy Memorandum "Reclaimed Asphalt Shingle (RAS) Sources", by weight of RAS. All RAS used shall come from a Bureau of Materials and Physical Research approved processing facility where it shall be ground and processed to 100 percent passing the 3/8 in. (9.5 mm) sieve and 90 percent passing the #4 (4.75 mm) sieve. RAS shall meet the testing requirements specified herein. In addition, RAS shall meet the following Type 1 or Type 2 requirements.
  - (1) Type 1. Type 1 RAS shall be processed, preconsumer asphalt shingles salvaged from the manufacture of residential asphalt roofing shingles.
  - (2) Type 2. Type 2 RAS shall be processed post-consumer shingles only, salvaged from residential, or four unit or less dwellings not subject to the National Emission Standards for Hazardous Air Pollutants (NESHAP).

1031.02 Stockpiles. RAP and RAS stockpiles shall be according to the following.

(a) RAP Stockpiles. The Contractor shall construct individual, sealed RAP stockpiles meeting one of the following definitions. Additional processed RAP (FRAP) shall be stockpiled in a separate working pile, as designated in the QC Plan, and only added to the sealed stockpile when test results for the working pile are complete and are found to meet tolerances specified herein for the original sealed FRAP stockpile. Stockpiles shall be sufficiently separated to prevent intermingling at the base. All stockpiles (including unprocessed RAP and FRAP) shall be identified by signs indicating the type as listed below (i.e. "Non- Quality, FRAP -#4 or Type 2 RAS", etc...).

- (1) Fractionated RAP (FRAP). FRAP shall consist of RAP from Class I, Superpave HMA (High and Low ESAL) or equivalent mixtures. The coasse aggregate in FRAP shall be crushed aggregate and may represent more than the aggregate type and/or quality but shall be at least C quality. All FRAP shall be processed prior to testing and sized into fractions with the separation of using on or between the #4 (4.75 mm) and 1/2 in. (12.5 mm) sieves. A glomerations shall be minimized such that 100 percent of the RAP in the coarse fract. Shall pass the maximum sieve size specified for the mix the FRAP will be used in.
- (2) Restricted FRAP (B quality) stockules shall consist of RAP from Class I, Superpave (High ESAL), or HMA (High ESAL). If approved by the Engineer, the aggregate from a maximum 3.0 inch single as abined pass of surface/binder milling will be classified as B quality. All millings from this application will be processed into FRAP as described previously.
- (3) Conglomerate Conglomerate RAP stockpiles shall consist of RAP from Class I, Superpave HMA (High and Low ESAL) or equivalent mixtures. The coarse aggregate in this RAP shall be crushed aggregate and may represent more than one aggregate type and/or quality but shall be at least C quality. This RAP may have an inconsistent gradation and/or asphalt binder content prior to processing. All conglomerate RAP shall be processed (FRAP) prior to testing. Conglomerate RAP stockpiles shall not contain steel slag or other expansive material as determined by the Department.
- (4) Conglomerate "D" Quality (DQ). Conglomerate DQ RAP stockpiles shall consist of RAP from HMA shoulders, bituminous stabilized subbases or Superpave (Low ESAL)/HMA (Low ESAL) IL-19.0L binder mixture. The coarse aggregate in this RAP may be crushed or round but shall be at least D quality. This RAP may have an inconsistent gradation and/or asphalt binder content. Conglomerate DQ RAP stockpiles shall not contain steel slag or other expansive material as determined by the Department.
- (5) Non-Quality. RAP stockpiles that do not meet the requirements of the stockpile categories listed above shall be classified as "Non-Quality".
- RAP or FRAP containing contaminants, such as earth, brick, sand, concrete, sheet asphalt, bituminous surface treatment (i.e. chip seal), pavement fabric, joint sealants, plant cleanout etc., will be unacceptable unless the contaminants are removed to the satisfaction of the Engineer. Sheet asphalt shall be stockpiled separately.
- (b) RAS Stockpiles. Type 1 and Type 2 RAS shall be stockpiled separately and shall be sufficiently separated to prevent intermingling at the base. Each stockpile shall be signed indicating what type of RAS is present.

However, a RAS source may submit a written request to the Department for approval to blend mechanically a specified ratio of type 1 RAS with type 2 S. The source will not E Department prior written be permitted to change the ratio of the blend without the medianically blend RAS approval. The Engineer's written approval will be required, with any fine aggregate produced under the AGCS, dal weight of RAS, to to an Quaitu" better from an approved improve workability. The fine aggregate shall be "B Aggregate Gradation Control System source. The regate shall be one that is approved for use in the HMA mixture and accounted in the mix design and during HMA production.

Records identifying the shingle processing facility supplying the RAS, RAS type and lot number shall be maintained by project contract number and kept for a minimum of three years.

**1031.03 Testing.** FRAP and RAS along shall be according to the following.

- (a) FRAP Testing. When you d in HMA, the FRAP shall be sampled and tested either during processing or after stockpilling. It shall also be sampled during HMA production.
  - (1) During Stockpilin. For testing during stockpiling, washed extraction samples shall be up the minimum frequency of one sample per 500 tons (450 metrs tons) for the first 2000 tons (1800 metric tons) and one sample per 200 tons (1800 metric tons) thereafter. A minimum of five tests shall be required for stockpiles less than 4000 tons (3600 metric tons).
  - (2) Incoming Material. For testing as incoming material, washed extraction samples shall be run at a minimum frequency of one sample per 2000 tons (1800 metric tons) or once per week, whichever comes first.
  - (3) After Stockpiling. For testing after stockpiling, the Contractor shall submit a plan for approval to the District proposing a satisfactory method of sampling and testing the RAP/FRAP pile either in-situ or by restockpiling. The sampling plan shall meet the minimum frequency required above and detail the procedure used to obtain representative samples throughout the pile for testing.

Before extraction, each field sample of FRAP, shall be split to obtain two samples of test sample size. One of the two test samples from the final split shall be labeled and stored for Department use. The Contractor shall extract the other test sample according to Department procedure. The Engineer reserves the right to test any sample (split or Department-taken) to verify Contractor test results.

(b) RAS Testing. RAS shall be sampled and tested during stockpiling according to Bureau of Materials and Physical Research Policy Memorandum, "Reclaimed Asphalt Shingle (RAS) Sources". The Contractor shall also sample as incoming material at the HMA plant.

- (1) During Stockpiling. Washed extraction and testing for unacceptable materials shall be run at the minimum frequency of operample per 200 tons nd one sample per (180 metric tons) for the first 1000 tons (900 metric tons) 1000 tons (900 metric tons) thereafter. A minimum of five s amples are required for stockpiles less than 1000 tons (900 metric ons Once a ≤ 1000 ton (900 metric ton), five-sample/test stockpile has been established it shall be Additional incoming RAS shall be separate working pile as sealed. designated in the Quality Control plan and on dded to the sealed stockpile when the test results of the working ale re complete and are found to meet the tolerances specified herein for the digiral soled RAS stockpile.
- (2) Incoming Material. For testing as in oning material at the HMA plant, washed extraction shall be run at the minimum frequency of one sample per 250 tons (227 metric tons). A minimum of the samples are required for stockpiles less than 1000 tons (900 metric tons). The incoming material test results shall meet the tolerances specified helpin.

The Contractor shall obtain and make available all test results from start of the initial stockpile sampled and tested at the shingle processing facility in accordance with the facility's QC Plan

Before extraction each field sample shall be split to obtain two samples of test sample size. One of the two test samples from the final split shall be labeled and stored for Department use. The Contractor shall extract the other test sample according to Department procedures. The Engineer reserves the right to test any sample (split or Department-taken) to verify Contractor test results.

**1031.04 Evaluation of Tests.** Evaluation of tests results shall be according to the following.

(a) Evaluation of FRAP Test Results. All test results shall be compiled to include asphalt binder content, gradation and, when applicable (for slag), G<sub>mm</sub>. A five test average of results from the original pile will be used in the mix designs. Individual extraction test results run thereafter, shall be compared to the average used for the mix design, and will be accepted if within the tolerances listed below.

Parameter	FRAP
No. 4 (4.75 mm)	± 6 %
No. 8 (2.36 mm)	± 5 %
No. 30 (600 μm)	± 5 %
No. 200 (75 μm)	± 2.0 %
Asphalt Binder	± 0.3 %
G <sub>mm</sub>	± 0.03 <sup>1/</sup>

1/ For stockpile with slag or steel slag present as determined in the current Manual of Test Procedures Appendix B 21, "Determination of Reclaimed Asphalt Paven ent Aggregate Bulk Specific Gravity".

If any individual sieve and/or asphalt binder content tests are out of the above tolerances when compared to the average used for the mix design, the FRAP stockpile shall not be used in Hot-Mix Asphalt unless the FRAP representing those tests is removed from the stockpile. All test data and acceptance ranges and be sent to the District for evaluation.

The Contractor shall maintain a representative moving average of five tests to be used for Hot-Mix Asphalt production.

With the approval of the Engineer, the ignition oven may be substituted for extractions according to the Illinois Test Proce lure, "Calibration of the Ignition Oven for the Purpose of Characterizing Reclaimed Asphalt Pavement (RAP)" or Illinois Modified AASHTO T-164-11, Test Method A.

(b) Evaluation of RAC Test results. All of the test results, with the exception of percent unacceptable nat rials, shall be compiled and averaged for asphalt binder content and gradation. A five lest average of results from the original pile will be used in the mix designs. In voluntariest results run thereafter, when compared to the average used for the mix design, will be accepted if within the tolerances listed below.

Parameter	RAS
No. 8 (2.36 mm)	± 5 %
No. 16 (1.18 mm)	± 5 %
No. 30 (600 μm)	± 4 %
No. 200 (75 μm)	± 2.5 %
Asphalt Binder Content	± 2.0 %

If any individual sieve and/or asphalt binder content tests are out of the above tolerances when compared to the average used for the mix design, the RAS shall not be used in Hot-Mix Asphalt unless the RAS representing those tests is removed from the stockpile. All test data and acceptance ranges shall be sent to the District for evaluation.

(c) Quality Assurance by the Engineer. The Engineer may witness the sampling and splitting conduct assurance tests on split samples taken by the Contractor for quality control testing a minimum of once a month.

The overall testing frequency will be performed over the entire range of Contractor samples for asphalt binder content and gradation. The Engineer may select any or all split samples for assurance testing. The test results will be made available to the Contractor as soon as they become available.

The Engineer will notify the Contractor of observed deficiencies.

Differences between the Contractor's and the Engineer's spat sample test results will be considered acceptable if within the following limits.

Test Parameter	Accentable limits of Precision	
% Passing: <sup>1/</sup>	RAP	RAS
1 / 2 in.	5.076	
No. 4	5.0%	
No. 8	3.0%	4.0%
No. 30	2.0%	3.0%
No. 200	2.2%	2.5%
Asphalt Binder Content	0.3%	1.0%
G <sub>mm</sub>	0.030	

1/ Based on vashed extraction.

In the evalue convarisons are outside the above acceptable limits of precision, the Engineer will immediately investigate.

(d) Acceptance by the Engineer. Acceptable of the material will be based on the validation of the Contractor's quality control by the assurance process.

#### 1031.05 Quality Designation of Aggregate in RAP and FRAP.

- (a) RAP. The aggregate quality of the RAP for homogenous, conglomerate, and conglomerate "D" quality stockpiles shall be set by the lowest quality of coarse aggregate in the RAP stockpile and are designated as follows.
  - (1) RAP from Class I, Superpave/HMA (High ESAL), or (Low ESAL) IL-9.5L surface mixtures are designated as containing Class B quality coarse aggregate.
  - (2) RAP from Superpave/HMA (Low ESAL) IL-19.0L binder mixture is designated as Class D quality coarse aggregate.
  - (3) RAP from Class I, Superpave/HMA (High ESAL) binder mixtures, bituminous base course mixtures, and bituminous base course widening mixtures are designated as containing Class C quality coarse aggregate.
  - (4) RAP from bituminous stabilized subbase and BAM shoulders are designated as containing Class D quality coarse aggregate.

(b) FRAP. If the Engineer has documentation of the quality of the FRAP aggregate, the Contractor shall use the assigned quality provided by the Engineer

If the quality is not known, the quality shall be determined as Fractionated RAP stockpiles containing plus #4 (4.75 mm) sieve coarse aggit gate shall have a maximum tonnage of 5,000 tons (4,500 metric tons). The Contractor shall obtain a representative be a minimum of 50 lb (25 kg). sample witnessed by the Engineer. The sample si The sample shall be extracted according to Illinois odified AASHTO T 164 by a consultant prequalified by the Department for the specified testing. The consultant shall submit the test results along with the recover degregate to the District Office. The cost for this testing shall be paid by the contractor. The District will forward the sample to the BMPR Aggregate Lab for MicroDe al Testing, according to Illinois Modified AASHTO T 327. 5.0 percent will be applied for all HMA A maximum los of applications. The fine aggregat portion of the fractionated RAP shall not be used in any um of "B" quality aggregate or better, until the coarse HMA mixtures that require a mix aggregate fraction has been determined to be acceptable thru a MicroDeval Testing.

**1031.06 Use of FRAP and/or RAS in HMA.** The use of FRAP and/or RAS shall be a Contractor's option when sons ucting HMA in all contracts.

- (a) FRAP. The use of FRAP in HMA shall be as follows.
  - (1) Coarse Togregate Size (after extraction). The coarse aggregate in all FRAP shall be equal to a less than the nominal maximum size requirement for the HMA mixture to be produced.
  - (2) Steel Slag Stockpiles. FRAP stockpiles containing steel slag or other expansive material, as determined by the Department, shall be homogeneous and will be approved for use in HMA (High ESAL and Low ESAL) mixtures regardless of lift or mix type.
  - (3) Use in HMA Surface Mixtures (High and Low ESAL). FRAP stockpiles for use in HMA surface mixtures (High and Low ESAL) shall have coarse aggregate that is Class B quality or better. FRAP shall be considered equivalent to limestone for frictional considerations unless produced/screened to minus 3/8 inch.
  - (4) Use in HMA Binder Mixtures (High and Low ESAL), HMA Base Course, and HMA Base Course Widening. FRAP stockpiles for use in HMA binder mixtures (High and Low ESAL), HMA base course, and HMA base course widening shall be FRAP in which the coarse aggregate is Class C quality or better.
  - (5) Use in Shoulders and Subbase. FRAP stockpiles for use in HMA shoulders and stabilized subbase (HMA) shall be FRAP, Restricted FRAP, conglomerate, or conglomerate DQ.

- (b) RAS. RAS meeting Type 1 or Type 2 requirements will be permitted in all HMA applications as specified herein.
- (c) FRAP and/or RAS Usage Limits. Type 1 or Type 2 RNS hay be used alone or in conjunction with FRAP in HMA mixtures up to a maximum of 5.00 by weight of the total mix.

When FRAP, RAS or FRAP in conjunction with RAS used, the percent of virgin asphalt binder replacement (ABR) shall not exceed the amounts indicated in the table below for a given N Design.

Max Asphalt Binder Replacement for FRAP with RAS Combination

HMA Mixtures 1/2/4/	M	aximum % ABF	₹
Ndesign	B. der/Leveling Binder	Surface	Polymer Modified 3/
30L	50	40	30
50	40	35	30
70	40	30	30
• 0	40	30	30
4.75 mm v=50			40
STV1-1-80			30

- 1/ For HMA "All Other" (shoulder and stabilized subbase) N-30, the percent asphalt binder replacement shall not exceed 50% of the total asphalt binder in the mixture.
- 2/ When the binder replacement exceeds 15 percent for all mixes, except for SMA and IL-4.75, the high and low virgin asphalt binder grades shall each be reduced by one grade (i.e. 25 percent binder replacement using a virgin asphalt binder grade of PG64-22 will be reduced to a PG58-28). When constructing full depth HMA and the ABR is less than 15 percent, the required virgin asphalt binder grade shall be PG64-28.
- 3/ When the ABR for SMA or IL-4.75 is 15 percent or less, the required virgin asphalt binder shall be SBS PG76-22 and the elastic recovery shall be a minimum of 80. When the ABR for SMA or IL-4.75 exceeds 15%, the virgin asphalt binder grade shall be SBS PG70-28 and the elastic recovery shall be a minimum of 80.
- 4/ When FRAP or RAS is used alone, the maximum percent asphalt binder replacement designated on the table shall be reduced by 10%.

**1031.07 HMA Mix Designs.** At the Contractor's option, HMA mixtures may be constructed utilizing RAP/FRAP and/or RAS material meeting the detailed requirements specified herein.

- (a) FRAP and/or RAS. FRAP and /or RAS mix designs shall be sat mitted for verification. If additional FRAP or RAS stockpiles are tested and found to be within tolerance, as defined under "Evaluation of Tests" herein, and meet all requirements herein, the additional FRAP or RAS stockpiles may be used in the original design at the percent previously verified.
- (b) RAS. Type 1 and Type 2 RAS are not interchangeable if a mix design. A RAS stone bulk specific gravity (Gsb) of 2.500 shall be see for mix design purposes.

### 1031.08 HMA Production. HMA production utilizing FRAP and/or RAS shall be as follows.

To remove or reduce agglomerated materia, a scalping screen, gator, crushing unit, or comparable sizing device approved by the Engineer shall be used in the RAS and FRAP feed system to remove or reduce oversized material. If material passing the sizing device adversely affects the mix production or gratity of the mix, the sizing device shall be set at a size specified by the Engineer.

If during mix production corrective actions fail to maintain FRAP, RAS or QC/QA test results within control tolerances is the equirements listed herein the Contractor shall cease production of the mixture containing FRAP or RAS and conduct an investigation that may require a new mix design.

- (a) RAS. RAS shall be incorporated into the HMA mixture either by a separate weight depletion system or by using the RAP weigh belt. Either feed system shall be interlocked with the aggregate feed or weigh system to maintain correct proportions for all rates of production and batch sizes. The portion of RAS shall be controlled accurately to within ± 0.5 percent of the amount of RAS utilized. When using the weight depletion system, flow indicators or sensing devices shall be provided and interlocked with the plant controls such that the mixture production is halted when RAS flow is interrupted.
- (b) HMA Plant Requirements. HMA plants utilizing FRAP and/or RAS shall be capable of automatically recording and printing the following information.
  - (1) Dryer Drum Plants.
    - a. Date, month, year, and time to the nearest minute for each print.
    - b. HMA mix number assigned by the Department.
    - c. Accumulated weight of dry aggregate (combined or individual) in tons (metric tons) to the nearest 0.1 ton (0.1 metric ton).

- d. Accumulated dry weight of RAS and FRAP in tons (metric tons) to the nearest 0.1 ton (0.1 metric ton).
- e. Accumulated mineral filler in revolutions, tons (neeting tons) etc. to the nearest 0.1 unit.
- f. Accumulated asphalt binder in gallons (liter), to s (metric tons), etc. to the nearest 0.1 unit.
- g. Residual asphalt binder in the RAS and TRAP material as a percent of the total mix to the nearest 0.1 percent.
- h. Aggregate RAS and FRAP hoisture compensators in percent as set on the control panel. (Required when accumulated or individual aggregate and RAS and FRAP are printed in val condition.)
- i. When producing hixtures with FRAP and/or RAS, a positive dust control system shall be utilized.
- j. Accumulated mix ure tonnage.
- k. Dust Reh oved (accumulated to the nearest 0.1 ton)

#### (2) Batch Plants

- a. Date, month, year, and time to the nearest minute for each print.
- b. HMA mix number assigned by the Department.
- c. Individual virgin aggregate hot bin batch weights to the nearest pound (kilogram).
- d. Mineral filler weight to the nearest pound (kilogram).
- f. RAS and FRAP weight to the nearest pound (kilogram).
- g. Virgin asphalt binder weight to the nearest pound (kilogram).
- h. Residual asphalt binder in the RAS and FRAP material as a percent of the total mix to the nearest 0.1 percent.

The printouts shall be maintained in a file at the plant for a minimum of one year or as directed by the Engineer and shall be made available upon request. The printing system will be inspected by the Engineer prior to production and verified at the beginning of each construction season thereafter.

**1031.09 RAP in Aggregate Surface Course and Aggregate Shoulders.** The use of RAP or FRAP in aggregate surface course and aggregate shoulders shall be as follows.

- (a) Stockpiles and Testing. RAP stockpiles may be any of those tisted in Article 1031.02, except "Non-Quality" and "FRAP". The testing requirements of Article 1031.03 shall not apply. RAP used to construct aggregate surface course and aggregate shoulders shall be according to the current Bureau of Materials and Physical Research's Policy Memorandum, "Reclaimed Asphalt Pavement (RAP) for pages ate Applications"
- (b) Gradation. One hundred percent of the RAP material shall pass the 1 1/2 in. (37.5mm) sieve. The RAP material shall be reasonably tell graded from coarse to fine. RAP material that is gap-graded, FRAP, or sixtle size will not be accepted for use as Aggregate Surface Course and Aggregate Shallders."

